MOTOREX*
Oil of Switzerland

Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: AIR FILTER OIL 206
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Air filter oil

Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal Tel. +41 (0)62 919 75 75

www.motorex.com

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour. STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms









GHS02 GHS07 GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Hazard statements

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

MOTOREX Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	· · / · · · · · · · · · · · · · · · · · · ·	25-50%
Reg.nr.: 01-2119473851-33	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2,	
	H411; STOT SE 3, H336	

Regulation (EC) No 648/2004 on detergents / Labelling for contents aliphatic hydrocarbons ≥30%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove contaminated clothing immediately.

Immediately rinse with water.

- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:

Consult a physician who will decide on need and method of emptying the stomach.

Do not induce vomitting. Do not take in resorption stimulating agents.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

MOTOREX Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 2)

· Additional information

Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid dehydration; when rewetted the resin volume may increase and cause rupture of the packaging as well as of equipment.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·DNELs				
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics				
Oral	DNEL/general population/Systemic effects/Long-term	699 mg/kg/24h (consumer)		
Dermal	DNEL / Workers / Systemic effects / Long-term	773 mg/kg/24h (worker)		
	DNEL/general population/Systemic effects/Long-term	699 mg/kg/24h (consumer)		

(Contd. on page 4)

MOTOREX Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 3)

Inhalative | DNEL / Workers / Systemic effects / Long-term | 2,035 mg/m3 (worker) |
DNEL/general population/Systemic effects/Long-term | 608 mg/m3 (consumer)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid
Blue
Solvent-like
Not determined.
Undetermined.

· Boiling point or initial boiling point and

boiling range 82 °C (DIN EN ISO 3405)
• Flammability Highly flammable.

· Lower and upper explosion limit

Lower: 0.9 Vol %
 Upper: 6.8 Vol %
 Flash point: 12 °C

· Auto-ignition temperature: 310 °C (DIN 51794) · Decomposition temperature: Not determined.

(Contd. on page 5)

MOTOREX Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 4)

· **pH** Not determined.

Viscosity:

· Kinematic viscosity 15.5 mm²/s @ 40 °C (DIN 51562-1)

· Consistency

Dynamic: Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

Vapour pressure at 20 °C: 30 hPa

Density and/or relative density

• **Density at 20 °C:** 0.81 g/cm³ (ASTM D 4052)

Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent separation test:

· **VOC (EC)** 50.04 %

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Void

· Flammable gases Void

· Aerosols Void

· Oxidising gases Void

· Gases under pressure Void

Flammable liquids Highly flammable liquid and vapour.

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures which emit

Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Can be distilled without decomposing at normal pressure.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid With strong oxidisers.

(Contd. on page 6)

MOTOREX Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 5)

- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- None known. Complete combustion will give carbon dioxide and water.
- · Additional information: The product is highly flammable.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
Oral	LD50	>2,000 mg/kg (rat)	
Hydrocari	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
Oral	LD50	8 ml/kg (rat)	
Dermal	LD50	4 ml/kg (rat)	
	LD50	2,800-3,100 mg/kg (rat)	
Inhalative	LC50 / 4h	23.3 mg/l (rat)	
		5.8-24.3 mg/l (rat)	

- · STOT-single exposure May cause drowsiness or dizziness.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic	· Aquatic toxicity:	
Hydroca	arbons, C7-C9, n-alkanes, isoalkanes, cyclics	
EC50	0.23 mg/l/21d (aquatic invertebrates)	
EC50	0.64 mg/l/48h (aquatic invertebrates)	
LL50	3-10 mg/l/96h (fish)	
LL50	10-30 mg/l/72h (fish)	
LL50	10-30 mg/l/48h (fish)	
LL50	30-100 mg/l/24h (fish)	
LL0	3 mg/l/96h (fish)	
EL50	13 mg/l/96h (algae / cyanobacteria)	
EL50	4.6-10 mg/l/48h (aquatic invertebrates)	
	10-30 mg/l/48h (algae / cyanobacteria)	
EL50	10-22 mg/l/24h (aquatic invertebrates)	
	10-30 mg/l/24h (algae / cyanobacteria)	
EL50	10-30 mg/l/72h (algae / cyanobacteria)	
EL0	4.6 mg/l/48h (aquatic invertebrates)	
EL0	10 mg/l/24h (aquatic invertebrates)	
NOEC	0.17 mg/l/21d (aquatic invertebrates)	
NOELR	0.574 mg/l/28d (fish)	
NOELR	1 mg/l/21d (aquatic invertebrates)	
NOELR	6.3 mg/l/96h (algae / cyanobacteria)	

(Contd. on page 7)

MOTOREX*
Oil of Switzerland

Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 6)

LOEC 0.32 mg/kg/28d (aquatic invertebrates)

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F)

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN3295	
· 14.2 UN proper shipping name · ADR/RID/ADN	3295 HYDROCARBONS, LIQUID, N.O.S. ENVIRONMENTALLY HAZARDOUS, specia provision 640D	
· IMDG	HYDROCARBONS, LIQUID, N.O.S., MARIN POLLUTANT	
· IATA	HYDROCARBONS, LIQUID, N.O.S.	

page o

MOTOREX*
Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

	(Contd. of page
14.3 Transport hazard class(es)	
ADR/RID/ADN	
3	
Class Label	3 (F1) Flammable liquids. 3
IMDG	
· Class · Label	3 Flammable liquids. 3
IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II .
14.5 Environmental hazards:	Product contains environmentally hazardou substances: Hydrocarbons, C7-C9, n-alkane isoalkanes, cyclics
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR/RID/ADN):	Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler cod	Warning: Flammable liquids.
EMS Number:	F-E,S-D
Stowage Category	В
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
· Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2
Exospica quantities (E u)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 n
Transport category Tunnel restriction code	2 D/E
· IMDG · Limited quantities (LQ)	1L

MOTOREX*
Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Abteilung Produktsicherheit

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

- GE

MOTOREX*
Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 9)

Annex: Exposure scenario 1

· Short title of the exposure scenario

Industrial use of lubricants and greases in vehicles or machinery

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario

Professional use of lubricants and greases in vehicles or machines

(Contd. on page 11)

MOTOREX*
Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 10)

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- · Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

(Contd. on page 12)

MOTOREX*
Oil of Switzerland
Revision: 28.07.2023

Printing date 28.07.2023

Version number 2.0 (replaces version 1.1)

Trade name: AIR FILTER OIL 206

(Contd. of page 11)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

GB