Printing date 1.09.2020

Revision Date 1.09.2020

4	14	1:f: 1:	- 5			Add.
	iden	tification	OT	sur	ostan	се

Product details

Shock Absorber (Mono tube gas shock absorber) OE302, VE302, OC302, OK302, TE302, TC302, TK302, RE302, ME302, RC302, MC302,

• Trade name : MO302, MG362, MZ362, MU362, MX362, MG366, MZ366, MU366, MX366,

: Shock Absorber

MG456, MZ456, MU456, MX456, MG506, MZ506, MU506, MX506

Application of the substance

/ the preparation

Manufacturer/Supplier

: YSS (Thailand) Co., Ltd.

88/88 Moo 9, Soi Phikulthong Thepharak Road Bangpla, Bangpli, Samutprakarn 10540 THAILAND

Tel: +66 2 763 8600 Fax: +66 2 763 8829

Informing department

**Export Department** 

Email : export@yss.co.th Emergency Information:

+66 2 763 8600

#### 2 Hazards identification

Hazard designation

Void

• Information pertaining to particular dangers for man and environment

: Warning! Pressurized container

Human health hazards

Label Element

: Nitrogen is suffocating by replacing ambient oxygen. : The product does not have to be labeled due to the

calculation procedure of the "General Classification guideline

for preparations of the EU" in the latest valid version.

Classification system

The classification is in line with current EC lists. It is

expanded, however, by information from technical literature and by information furnished by supplier companies.

#### 3 Composition/information on ingredients

· Dangerous components:

Chemical characterization

: Void

Description

: The shock absorber contains hydraulic oil and small

amounts of nitrogen.

Additional information

: Not classified as dangerous for supply or conveyance

### 4 First aid measures

General information

: No special measures required.

In case of Chemical insight contact;

Skin contact

: Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. If high pressure injection injures occur, obtain medical attention

immediately.

Eye contact

Flush eyes immediately with fresh water for several

minutes while holding the eyelids open.

Printing date 1.09.2020

Revision Date 1.09.2020

	_	
Ingestion	:	If swallowed and person is conscious give water or milk. Do not make person vomit except on advice of medical personnel. If advice cannot be obtained, take person and container to nearest emergency treatment center. Never give anything by mouth to an
Inhalation		unconscious person
Inhalation	٠	This material is not expected to be an acute inhalation problem under typical applications.
Advice to physicians	:	Treat symptomatically. Aspiration into the lungs may result in chemical pneumonitis. Dermatitis may result from prolonged or repeated exposure

5 Fire fighting measures		
Suitable extinguishing agents		The product itself does not burn. Use fire fighting measures that suit the environment.
Suitable extinguishing media	;	Carbon dioxide, foam and dry chemical powder. (Sand or earth may be used for small fires only)
Special hazards caused by the material, its products of combustion or resulting gases	**	Combustion is likely to give rise to a complex mixture of air borne Solid and Liquid particulates and gases, including carbon monoxide, oxides of sulphur, and unidentified organic and inorganic compounds.
Protective equipment	:	In case of fire wear breathing equipment being independent of ambient air and suit provided full protection against chemicals.
Additional information	:	Remove fill mass from incendiary zone, if possible. Cool endangered containers with water spray jet.

6 Accidental release measures	
Person-related safety precautions:	: Ensure adequate ventilation.
	Keep away from ignition sources
	Avoid contact with skin and eyes.
<ul> <li>Environmental precautions :</li> </ul>	: Inform authorities if gas escapes.
	Do not allow to enter drainage system, surface or ground water.
Method of cleaning/collecting:	<ul> <li>Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable Containers.</li> </ul>

Handling	
<ul> <li>Information for safe handling:</li> </ul>	<ul> <li>Keep empty containers away from heat and ignition sources Ensure good interior ventilation, especially at floor level (Fumes are heavier than air).</li> <li>No special measures required.</li> </ul>
<ul> <li>Information about protection against explosions and fires:</li> </ul>	: The product is not flammable

Printing date 1.09.2020

Revision Date 1.09.2020

<ul> <li>Store containers in a well aired place at a temperature of less than 50°C. Store only undamaged original packaging drums.</li> </ul>
: Keep away from combustible and/or inflammable materials.
: Store in a cool place. Heat will increase pressure and may lead to the container exploding.
<ul> <li>2A (Compressed, liquidized and under pressure solved gases) according to VCI concept</li> </ul>

		gases) according to ver concept
9 Evensus controls and a second section		MATCHES CONTROL OF THE STATE OF
8 Exposure controls and personal prote	TO THE REAL PROPERTY.	
Components with limit values that require monitoring at the workplace:		The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information:		The lists that were valid during the compilation were used as basis.
Personal protective equipment		
General protective and hygienic measures	:	Wear suitable protective clothing at work.
Breathing equipment:	:	Not required.
Protection of hands:		Not required.
		The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  Selection of the glove material on consideration of the penetration times, rates of diffusion and the penetration times, rates of diffusion and the degradation.
Material of gloves		The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material	1	The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:	:	Not required.

Printing date 1.09.2020

Revision Date 1.09.2020

9 Physical and chemical properties		
General Information	III,Jedili	
Form		Shock absorber, pneumatic / hydraulic Condensed gas
Color	•	Colorless
Odor	•	Odorless
Change in condition		
Melting point/Melting range		
Boiling point/Boiling range	•	N/A °C
Flash point:	:•: :•:	Not applicable
Self-inflammability:		Product is not selfigniting.
Danger of explosion:		Product is not explosive.
Density :	:	Not determined
Solubility in / Miscibility with Water	:	Insoluble
Solvent content		
Organic solvents:	•	0.0%
Water:	•	0.0 %
Additional information	:	The bonfire-test resulted in no flying away components.

10 Stability and reactivity		
Reactivity	•	None of Reactivity
Chemical stability		•
Thermal decomposition / conditions to be avoided	:	No decomposition if used and stored according to specifications.
Dangerous products of decomposition	•	None in case of intended use and storage in compliance with instructions.

11 Toxicological information		
Acute toxicity		Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar product
Primary irritant effect:		
• on the skin	:	No irritant effect.
on the eyes		No irritant effect.
<ul> <li>Sensitization</li> </ul>		No sensitizing effect known.
Additional toxicological information	*** **********************************	When inhaling high concentrations narcotic symptoms are possible. The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

Printing date 1.09.2020

Revision Date 1.09.2020

### 12 Ecological information

General notes

Water hazard class 1 (German

Regulation) (Self-assessment)

: Slightly hazardous for water.

The product contains materials that are harmful to the

environment.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### 13 Disposal considerations

- Product
- Recommendation Contact manufacturer for recycling information.

•	Euro	pean	waste	cata	logue
---	------	------	-------	------	-------

- Laropean waste cataloge	
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	Gases in pressure containers and discardedchemicals
16 05 05	Gases in pressure containers other than those mentioned in 16 05 04
<ul> <li>Uncleaned packaging</li> </ul>	
Recommendation:	<ul> <li>Dispose of packaging according to regulations on the disposal of packagings.</li> </ul>

14 Transport information

• Land transport ADR/RID (cross-border)



• ADR/RID-GGVSE Class

: 2 6A Gases.

UN-Number

3164

Label

: 2.2

Designation of goods

3164 ARTICLES, PRESSURIZED, HYDRAULIC

• Remarks

Not Restricted as per Special Provision A114

Maritime transport IMDG:



• UN Number

• Label : 3164 • Label : 2.2 • EMS Number : F-C,S-V

Marine pollutant

Correct technical name
 Remarks
 ARTICLES, PRESSURIZED, HY DRAULIC:
 Not Restricted as per Special Provision A114

Printing date 1.09.2020

Revision Date 1.09.2020

### Air transport ICAO-TI and IATA-DGR



• ICAO/IATA Class

• UN/ID Number Label

• Correct technical name

Remarks

2.2

3164 2.2

ARTICLES, PRESSURIZED, HY DRAULIC

Not Restricted as per Special Provision A114

15 Regulatory information

Regulatory Information

N/A

16 Other information

Recommendations/Restrictions

N/A