Version number 2.3 (replaces version 2.2)

Printing date 15.12.2023



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: SCOOTER 4T SAE 10W/40 JASO MA2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Only for proper handling. Engine oil
- · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier:

MOTOREX AG Bern-Zürich-Strasse 31, Postfach CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

•		
	Mineral oils (mixture)	≥10-≤25%
	Asp. Tox. 1, H304	
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	5-10%

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)



Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)

Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

DNELs			
72623-87-1	Lubricating oils (petroleum), C	20-50 bydrotra	ated neutral oil-based
	DNEL / Workers / Local Effects / L	· · · ·	5.4 mg/m3/8h (worker)
		-	0
	DNEL/general population/Local efi		
Additional	information: The lists valid during	g the making we	ere used as basis.
8.2 Exposu	ire controls		
	e engineering controls No furthe		
	protection measures, such as p		tive equipment
	otective and hygienic measures		
	from foodstuffs, beverages and fe		
	s before breaks and at the end of	work.	
	le gases / fumes / aerosols.		
	y protection: ary if room is well-ventilated.		
		or mist: uso ma	sk with filter type A2, A2/P2 or ABEF
Hand prote		or mist. use ma	So with filler type $\neg z$, $\neg z/1 z$ of ADEr
		le and resistan	t to the product/ the substance/
preparation			
		tion of the pene	tration times, rates of diffusion and
degradation			·
Material of			
			the material, but also on further ma
			the product is a preparation of seve
		rial can not be c	alculated in advance and has therei
	ed prior to the application.		
Penetration			
	n time of glove material	d out by the me	putacturar of the protective glouce
The exact b	preak through time has to be foun	d out by the ma	nufacturer of the protective gloves a
The exact b has to be of	preak through time has to be foun bserved.	-	nufacturer of the protective gloves a
The exact b has to be of Eye/face p	preak through time has to be foun bserved. r otection Goggles recommended	-	nufacturer of the protective gloves a
The exact b has to be of Eye/face p	preak through time has to be foun bserved.	-	nufacturer of the protective gloves a
The exact b has to be ol Eye/face pl Body prote	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing	during refilling	nufacturer of the protective gloves a
The exact b has to be ol Eye/face pl Body prote	preak through time has to be foun bserved. r otection Goggles recommended	during refilling	nufacturer of the protective gloves a
The exact b has to be of Eye/face p Body prote	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical	during refilling	
The exact b has to be of Eye/face pi Body prote SECTION 9.1 Informa	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che	during refilling	
The exact b has to be of Eye/face pr Body prote SECTION 9.1 Informa General Inf	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation	during refilling	
The exact b has to be of Eye/face pr Body prote SECTION 9.1 Informa General Int Physical st	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation	during refilling properties mical propertie Fluid	25
The exact b has to be of Eye/face pr Body prote SECTION 9.1 Informa General Inf Physical st Colour:	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation	during refilling properties mical propertie Fluid yellow brow	2° s
The exact b has to be of Eye/face protection Body protection SECTION 9.1 Informa General Inf Physical st Colour: Odour:	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate	during refilling properties mical propertie Fluid yellow brow Characteris	es rn tic
The exact b has to be of Eye/face protection Body protection SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate	during refilling properties mical properties Fluid yellow brow Characteris Not determ	rs rn tic ined.
The exact b has to be of Eye/face pr Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting po	preak through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate	during refilling properties mical propertie Fluid yellow brow Characteris	rs rn tic ined.
The exact b has to be of Eye/face provided Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour three Melting poil Boiling poil	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate eshold: int/freezing point: int or initial boiling point and	during refilling properties mical properties Fluid yellow brow Characteris Not determ	rn tic ined. ed.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting poi boiling ran	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate eshold: int/freezing point: int or initial boiling point and ge	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin	rn tic ined. ed.
The exact b has to be of Eye/face provide Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting poi boiling ran Flammabili	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate eshold: int/freezing point: int or initial boiling point and ge	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin	rn tic ined. ed.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour three Melting poi boiling ran Flammabili Lower and	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin	rn tic ined. ied. ble.
The exact b has to be of Eye/face provide Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour thre Melting poi boiling ran Flammabili Lower and Lower:	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin Undetermin Not applica	rn tic ined. ied. ble. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting poi boiling ran Flammabili	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin Not determin Not applica Not determ	rn tic ined. ied. ble. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour thre Melting poi boiling ran Flammabili Lower and Lower: Upper: Flash point	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin Not applica Not determ Not determ	rn tic ined. ed. ble. ined. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting poi boiling ran Flammabili Lower and Lower: Upper: Flash point Decompos	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit	during refilling properties mical properties Fluid yellow brow Characteris Not determ Undetermin Not determin Not applica Not determ Not determ Not determ	rn tic ined. ied. ble. ined. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour thre Melting poi boiling ran Flammabili Lower and Lower: Upper: Flash point	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit	during refilling properties mical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determ Not determ Not determ Not determ 200 °C Not determ	rn tic ined. ied. ble. ined. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting poi boiling ran Flammabili Lower and Lower: Upper: Flash point Decompos pH	break through time has to be foun beserved. rotection Goggles recommended action: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit t: ition temperature:	during refilling properties mical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determ Not determ Not determ Not determ 200 °C Not determ	rn tic ined. ed. ble. ined. ined. ined. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour thre Melting poi Boiling poi boiling ran Flammabili Lower and Lower: Upper: Flash point Decompos pH Viscosity: Kinematic Consistent	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit t: ition temperature: viscosity	during refilling properties mical properties Fluid yellow brow Characteris Not determin Undetermin Not determin Not applica Not determ Not determin >200 °C Not determin Not determin >200 °C	rn tic ined. ed. ble. ined. ined. ined. ined.
The exact b has to be of Eye/face pro- Body prote SECTION 9.1 Informa General Inf Physical st Colour: Odour: Odour thre Melting poi boiling ran Flammabili Lower and Lower: Upper: Flash point Decompos pH Viscosity: Kinematic	break through time has to be foun bserved. rotection Goggles recommended ection: Protective work clothing I 9: Physical and chemical ation on basic physical and che formation tate shold: int/freezing point: int or initial boiling point and ge ity upper explosion limit t: ition temperature: viscosity	during refilling properties mical properties Fluid yellow brow Characteris Not determin Undetermin Not determin Not applica Not determ Not determin >200 °C Not determin Not determin >200 °C	rn tic ined. ed. ble. ined. ined. ined. ined. ined.

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

	(Contd. of page
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Heat Capacity	
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.866 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	hth
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
VOC (EC)	0.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	1010
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- **Thermal decomposition** / **conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

(Contd. of page 4)

	r icity Based	
LD/LC50	values rele	evant for classification:
72623-87-	1 Lubricat	ing oils (petroleum), C20-50, hydrotreated neutral oil-based
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative		2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m3 (rat)
<u></u>	NOEC	220 mg/m3 (rat) tion Based on available data, the classification criteria are not met.
STOT-rep Aspiration 11.2 Infor Endocrine	eated expo n hazard B mation on e disruptin	<i>ure</i> Based on available data, the classification criteria are not met. <i>osure</i> Based on available data, the classification criteria are not met. <i>ased on available data, the classification criteria are not met.</i> <i>other hazards</i> <i>g properties</i>
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58	eated exponent n hazard B mation on e disruptin 3-5 phenol,	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards og properties dodecyl-, branched
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58	eated exponent n hazard B mation on e disruptin 3-5 phenol,	osure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties
STOT-rep Aspiration 11.2 Infor Endocrim 121158-58 SECTIO 12.1 Toxid	eated expo n hazard B mation on e disruptin 3-5 phenol, N 12: Ec city	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards og properties dodecyl-, branched
STOT-rep Aspiration 11.2 Infor Endocrino 121158-58 SECTIO 12.1 Toxio Aquatic to	eated exponent mation on e disruptin 3-5 phenol, N 12: Ec city poxicity:	osure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards og properties dodecyl-, branched ological information
STOT-rep Aspiration 11.2 Infor Endocrim 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87-	eated expo n hazard B mation on e disruptin 3-5 phenol, 3-5 phenol, N 12: Ec city city oxicity: 1 Lubricat	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards ig properties dodecyl-, branched Lis ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based
STOT-rep Aspiratio 11.2 Infor Endocrim 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87 - LL50 10,0	eated expo n hazard B mation on e disruptin 3-5 phenol, N 12: Ec city oxicity: 1 Lubricat 000 mg/l/96	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based ch (aquatic invertebrates)
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87- LL50 10,0 100	eated exponention on hazard B mation on e disruptin 3-5 phenol, N 12: Ec city oxicity: 1 Lubricat 000 mg/l/96h (i	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched lis ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based ch (aquatic invertebrates) fish)
STOT-rep Aspiration 11.2 Infor Endocrim 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87- LL50 10,0 100 LL50 10,0	eated exponention on the formation on the formation on the formation on the disruption of the formation of t	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched list ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based bh (aquatic invertebrates) fish) ch (aquatic invertebrates)
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87- LL50 10,0 LL50 10,0 LL50 10,0	eated expo n hazard B mation on e disruptin 3-5 phenol, N 12: Ec N 12: Ec city oxicity: 1 Lubricat 000 mg/l/96h (1 000 mg/l/48	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based ch (aquatic invertebrates) fish) ch (aquatic invertebrates) ch (aquatic invertebrates)
STOT-rep Aspiration 11.2 Infor Endocrim 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87- LL50 10,0 LL50 10,0 LL50 10,0 LL50 10,0	eated expo n hazard B mation on e disruptin 3-5 phenol, 3-5 phenol, 0 ng/l/96 ng/l/96h (1 000 mg/l/96 000 mg/l/48 000 mg/l/48	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards ig properties dodecyl-, branched big oils (petroleum), C20-50, hydrotreated neutral oil-based bih (aquatic invertebrates)
STOT-rep Aspiration 11.2 Infor Endocrim 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87- LL50 10,0 LL50 10,0 LL50 10,0 EL50 10,0	eated expo n hazard B mation on e disruptin 3-5 phenol, 3-5 phenol, 0 ng/l/96 ng/l/96 0 mg/l/96 0 mg/l/96 000 mg/l/24 000 mg/l/24 000 mg/l/24	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched Lis ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based th (aquatic invertebrates)
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58 SECTIO 12.1 Toxic Aquatic to 72623-87- LL50 10,0 LL50 10,0	eated expo n hazard B mation on e disruptin 3-5 phenol, 5-5 phenol, 0 N 12: Ec N 12: Ec City 0 N 12: Ec City 0 N 12: Ec City 0 N 12: Ec D N 12: Ec D N 12: Ec D N N 12: Ec D N N N N N N N N N N	psure Based on available data, the classification criteria are not met. cased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched Lis ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based ih (aquatic invertebrates) ifish) ch (aquatic invertebrates) ch (aquatic invertebrates) <t< td=""></t<>
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58 SECTIO 12.1 Toxic Aquatic te 72623-87- LL50 10,0 LL50 10,0 LL50 10,0 LL50 10,0 LL50 10,0 EL50 10,0 12.2 Pers 12.3 Bioa 12.4 Mobi 12.5 Resu	eated expo n hazard B mation on e disruptin 3-5 phenol, N 12: Ec N 12: Ec City Do 12: Ec City Do 12: Co City Do 12: Co City Di City Di C	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched Lis ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based ch (aquatic invertebrates) fish) ch (aquatic invertebrates)
STOT-rep Aspiration 11.2 Infor Endocrine 121158-58 SECTIO 12.1 Toxic Aquatic te 72623-87- LL50 10,0 LL50 1	eated expo n hazard B mation on e disruptin 3-5 phenol, N 12: Ec N 12: Ec N 12: Ec N 12: Ec N 12: Ec N 12: C N 12: C N 12: C N N 12: C N N 12: C N N N N N N N N N N	psure Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. other hazards g properties dodecyl-, branched Lis ological information ing oils (petroleum), C20-50, hydrotreated neutral oil-based ih (aquatic invertebrates) fish) ch (aquatic invertebrates) ih (aquatic invertebrates) ih (aquatic invertebrates) ih (aquatic invertebrates) ih (aquatic invertebrates) ich (apotential No further releva

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

(Contd. of page 5)

- · 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

 14.1 UN number or ID number ADR/RID/ADN, ADN, IMDG, IATA 	Not classified as hazardous for transport
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

(Contd. of page 6)

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:
- Asp. Tox. 1: Aspiration hazard Category 1
- * Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario
- Industrial use of lubricants and greases in vehicles or machinery
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

- **Description of the activities** / **processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.

(Contd. on page 8)

GB



(Contd. of page 7)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)

Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

	(Contd. of page 7)
· Risk management measures	
Worker protection	
Organisational protective measures No special measures required.	
 Technical protective measures No special measures required. 	
• Personal protective measures No special measures required.	
 Measures for consumer protection No special measures required. 	
 Environmental protection measures 	
 Air No special measures required. 	
 Water No special measures required. 	
· Disposal measures	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
Disposal procedures Dispose of product residues with household waste.	
Waste type Partially emptied and uncleaned packaging	
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
· Guidance for downstream users No further relevant information available.	
Annex: Exposure scenario 2	
 Short title of the exposure scenario 	
Professional use of lubricants and greases in vehicles or machines	
- Sector of Use	
SU22 Professional uses: Public domain (administration, education, e	ntertainment, services,
craftsmen)	
Product category	
PC16 Heat transfer fluids	
PC17 Hydraulic fluids	
PC24 Lubricants, greases, release products	
• Process category	alibered of evenesting or
PROC1 Chemical production or refinery in closed process without lik processes with equivalent containment conditions.	ennood of exposure of
PROC2 Chemical production or refinery in closed continuous process wi	ith occasional controlled
exposure or processes with equivalent containment conditions	
PROC8a Transfer of substance or mixture (charging and discharging) at no	on-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at de	edicated facilities
PROC20 Use of functional fluids in small devices	
Environmental release category	
ERC9a Widespread use of functional fluid (indoor)	
ERC9b Widespread use of functional fluid (outdoor)	
Description of the activities / processes covered in the Exposure Scen	ario
See section 1 of the annex to the Safety Data Sheet.	
Conditions of use	
 Duration and frequency 5 workdays/week. 	
· Physical parameters	
· Physical state Fluid	
· Concentration of the substance in the mixture The substance is main co	mponent.
· Other operational conditions	
• Other operational conditions affecting environmental exposure No spe	
Other operational conditions affecting consumer exposure Not required	
• Other operational conditions affecting consumer exposure during the	use of the product
Not applicable.	
· Risk management measures	
· Worker protection	
• Organisational protective measures No special measures required.	
Technical protective measures No special measures required. Bereanal protective measures No special measures required	
· Personal protective measures No special measures required.	(Contd. on page 9)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



(Contd. of page 8)

Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

· Measures for consumer protection No special measures required.

- · Environmental protection measures
- Air No special measures required.
- Water No special measures required.
- Disposal measures
- Disposal must be made according to official regulations. Ensure that waste is collected and contained.
- · **Disposal procedures** Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

· Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines · Sector of Use SU21 Consumer uses: Private households / general public / consumers · Product category PC24 Lubricants, greases, release products · Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) · Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. · Conditions of use · Duration and frequency 5 workdays/week. · Physical parameters · Physical state Fluid · Concentration of the substance in the mixture The substance is main component. · Other operational conditions · Other operational conditions affecting environmental exposure No special measures required. · Other operational conditions affecting consumer exposure Not required. · Other operational conditions affecting consumer exposure during the use of the product Not applicable. · Risk management measures · Worker protection · Organisational protective measures No special measures required. · Technical protective measures No special measures required. · Personal protective measures No special measures required. · Measures for consumer protection No special measures required. · Environmental protection measures • Air No special measures required. · Water No special measures required. Disposal measures Disposal must be made according to official regulations. Ensure that waste is collected and contained. · Disposal procedures Dispose of product residues with household waste. Waste type Partially emptied and uncleaned packaging Exposure estimation · Consumer Not relevant for this Exposure Scenario. · Guidance for downstream users No further relevant information available.