MOTOREX*
Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GREASE SPRAY
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Grease

Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Additional information:

Contains zinc naphthenate, Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

(Contd. on page 2)



Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
	butane, pure Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-50%
Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Asp. Tox. 1, H304, EUH066	10-25%
	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
Reg.nr.: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336, EUH066	2.5-7.5%
	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1-2.5%
L	zinc naphthenate Aquatic Chronic 2, H411; Eye Irrit. 2, H319; Skin Sens. 1B, H317	≥0.1-<0.25%
	Polysulfides, di-tert-dodecyl Skin Sens. 1, H317	0.1-0.25%

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons	≥15 - <30%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Remove residues with soap and water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

Keep container tightly sealed.

- · Storage class: 2 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure

WEL | Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

(Contd. on page 4)

MOTOREX Oil of Switzerland
Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

DNELs		(Contd. of pa
	bons, C9-C11, n-alkanes, isoalkanes, c	vcloalkanes <2% aromatics
Oral	DNEL/general population/System	
	effects/Long-term	
Dermal	DNEL / Workers / Systemic effects / Long term	g- 300 mg/kg/24h (worker)
	DNEL/general population/System effects/Long-term	ic 300 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long term	g- 1,500 mg/m3 (worker)
	DNEL/general population/System.effects/Long-term	c 900 mg/m3 (consumer)
12001-85	3 zinc naphthenate	
Oral	DNEL/general population/System effects/Long-term	c 0.00000017 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long term	g- 3.3 mg/kg/24h (worker)
	DNEL/general population/System. effects/Long-term	c 1.7 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long term	g- 1.18 mg/m3 (worker)
	DNEL/general population/System. effects/Long-term	c 0.29 mg/m3 (consumer)
68425 - 15-	0 Polysulfides, di-tert-dodecyl	
Oral	DNEL/general population/System effects/Long-term	c 1.66 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long term	g- 33.3 mg/kg/24h (worker)
	DNEL/general population/System. effects/Long-term	c 16.66 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long term	g- 23.5 mg/m3 (worker)
	DNEL/general population/System effects/Long-term	c 5.8 mg/m3 (consumer)
PNECs		
12001-85	3 zinc naphthenate	
PNE	C / Aquatic organisms / Freshwater	0.004 mg/l (aquatic organisms)
PNE	C / Aquatic organisms / Marine water	0.0004 mg/l (aquatic organisms)
PNEC/Aquatic org/intermittent 0.04 mg/l (aquatic organisms) releases(freshwater) PNEC/Aquatic organisms/Sewage treatment plant/STP 0.04 mg/l (aquatic organisms) 0.6897 mg/l (aquatic organisms)		0.04 mg/l (aquatic organisms)
		0.6897 mg/l (aquatic organisms)
PNE	EC / Aquatic organisms / Sediment hwater)	0.015-19.438 mg/kg (aquatic organisms)
PNE	,	0.0015-1.9438 mg/kg (aquatic organisms)
	•0 Polysulfides, di-tert-dodecyl	
	C / Predators / Secondary poisoning	66.7 mg/kg food (secondary poisoni (predators))
1	C/Aquatic organisms/Sewage treatment	1,000 mg/l (aquatic organisms)

MOTOREX*
Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Aerosol
Yellowish
Solvent-like
Not determined.
Undetermined.

· Boiling point or initial boiling point and

boiling range Not applicable, as aerosol.

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: <-40 °C

Decomposition temperature:pHNot determined.Not determined.

Viscosity:

· Kinematic viscosity Not determined.

Consistency

· **Dynamic:** Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

· Vapour pressure: Not determined.

(Contd. on page 6)

MOTOREX
Oil of Switzerland
Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 5)

· Density and/or relative density

• **Density at 20 °C:** 0.645 g/cm³ (ASTM D 4052)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquefied gas

Important information on protection of health

and environment, and on safety.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent separation test:

· VOC (EC) 80.00 %

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

Explosives VoidFlammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

· Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void
Void
Void
Void
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

MOTOREX*
Oil of Switzerland
Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

		<u> </u>	Contd. of pa
		t for classification:	
	butane, pure		
Inhalative		1,442.738-1.443 mg/l (rat)	
	LC50 / 15 min	800,000 ppm (rat)	
	LC50 / 2h	1,237 mg/l (mouse)	
	LC50 / 2h	520,400-539,600 ppm (mouse)	
	LC50 / 4h	658 mg/l (rat)	
	NOAEC	4,000-16,000 ppm (rat)	
	NOAEC	7.2-21.4 mg/l (rat)	
	LOAEC	21.6 mg/l (rat)	
	LOAEC	12,000 ppm (rat)	
74-98-6 pi	ropane		
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)	
	LC50 / 15 min	800,000 ppm (rat)	
	LC50 / 2h	1,237 mg/l (mouse)	
	LC50 / 2h	520,400-539,600 ppm (mouse)	
	NOAEC	4,000-16,000 ppm (rat)	
	NOAEC	7.214-21.394 mg/l (rat)	
	LOAEC	21.64 mg/l (rat)	
	LOAEC	12,000 ppm (rat)	
Hydrocar	bons, C9-C11,	n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	
Oral	LD50	5,000-15,000 mg/kg (rat)	
	NOAEL	1,000-5,000 mg/kg/24h (rat)	
Dermal	LD50	2,000 mg/kg (rat)	
		3,160-5,000 mg/kg (rabbit)	
Inhalative	LC50 / 4h	4.951-9.3 mg/l (rat)	
	LC50 / 8h	41-4,467 ppm (rat)	
	LC50 / 8h	5 mg/l (rat)	
	NOAEL	200 ppm (rat)	
	NOAEC	275-10,400 mg/m3 (rat)	
75-28-5 is	obutane		
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)	
	LC50 / 15 min	800,000 ppm (rat)	
	LC50 / 2h	1,237 mg/l (mouse)	
	LC50 / 2h	520,400-539,600 ppm (mouse)	
	NOAEC	4,000-16,000 ppm (rat)	
	NOAEC	7.214-21.394 mg/l (rat)	
	LOAEC	21.641 mg/l (rat)	
	LOAEC	12,000 ppm (rat)	
12001-85-	3 zinc naphthe	enate	
Oral	LD50	2,000 ml/kg (rat)	
	NOAEL	13.26-900 mg/kg/24h (rat)	
68425-15-	0 Polysulfides	, di-tert-dodecyl	
Oral	LD50	19,550 mg/kg (rat)	
	NOAEL	1,000 mg/kg/24h (rat)	
Dermal	LD50	2,000 mg/kg (rat)	

MOTOREX*
Oil of Switzerland
Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

				(Contd. of page 7)
Inhalative	LC50 / 4h	15.5 mg/l (rat)		
	n hazard May b mation on oth	e fatal if swallowed and ent e <mark>r hazards</mark>	ers airways.	
· Endocrine	Endocrine disrupting properties			
None of th	e ingredients is	listed.		

	Aquatic toxicity: 106-97-8 butane, pure		ON 12: Ecological information
106-97-8 butane, pure 1.050	106-97-8 butane, pure 1.050		•
LC50	24.1-147.5 mg/l/96h (fish) 14.2-69.4 mg/l/48h (aquatic invertebrates) 7.7-19.4 mg/l/96h (algae / cyanobacteria) 74-98-6 propane 24.11-147.5 mg/l/96h (fish) 14.22-69.43 mg/l/48h (aquatic invertebrates) 7.71-19.37 mg/l/96h (fish) 14.22-69.43 mg/l/48h (aquatic invertebrates) 7.71-19.37 mg/l/96h (algae / cyanobacteria) 7.71-19.37 mg/l/96h (fish) 1.000 mg/l/96h (fish) 1.000 mg/l/96h (fish) 1.000 mg/l/24h (aquatic invertebrates) 1.000 mg/l/24h (algae / cyanobacteria) 1.201-85-3 zinc naphthenate 1.53-2 ppm/l/26h (lepomis macrochirus) 1.59-2 ppm/l/26h (lepomis macrochirus) 1.59-2 ppm/l/26h (lepomis macrochirus) 1.59-2 ppm/l/26h (lepomis macrochirus) 1.500 mg/l/26h (fish) 1.4 mg/l/26h (lish)	•	•
	14.2-69.4 mg/l/48h (aquatic invertebrates)		· •
			1
74-98-6 propane		EC50	,
24.11-147.54 mg/l/96h (fish) 14.22-69.43 mg/l/48h (aquatic invertebrates) 14.22-69.43 mg/l/96h (algae / cyanobacteria) 14.22-69.43 mg/l/96h (algae / cyanobacteria) 14.22-69.43 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/72h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (algae / cyanobacteria) 1,000 mg/l/24h (a	24.11-147.54 mg/l/96h (fish) 14.22-69.43 mg/l/48h (aquatic invertebrates) 7.71-19.37 mg/l/96h (algae / cyanobacteria) 14.22-69.43 mg/l/96h (algae / cyanobacteria) 1,000 mg/l/96h (fish) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (algae / cyanobacteria) 1,000 mg/l/24h (algae / cya	74-98-6	, , , , ,
### ##################################	######################################	LC50	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics LL50	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	LC50	14.22-69.43 mg/l/48h (aquatic invertebrates)
1,000 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/72h (fish) 1,000 mg/l/48h (fish) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (algae / cyanobacteria) 1,000 m	1,000 mg/l/96h (fish) 1,000 mg/l/72h (fish) 1,000 mg/l/72h (fish) 1,000 mg/l/48h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/28d (fish) 1,000 mg/l/28d (fish) 1,000 mg/l/28d (fish) 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/72h (algae / cyanobacte	EC50	7.71-19.37 mg/l/96h (algae / cyanobacteria)
1,000 mg/l/72h (fish) 1,000 mg/l/34h (aquatic invertebrates) 1,000 mg/l/34h (algae / cyanobacteria) 1,000 mg/l/34h (algae / cyanobacteria)	1.000 mg/l/72h (fish) 1.000 mg/l/48h (fish) 1.000 mg/l/24h (fish) 1.000 mg/l/96h (fish) 1.000 mg/l/96h (fish) 1.000 mg/l/96h (fish) 1.000 mg/l/96h (fish) 1.000 mg/l/24h (aquatic invertebrates) 1.000 mg/l/24h (aquatic invertebrates) 1.000 mg/l/72h (algae / cyanobacteria) 1.000 mg/l/48h (aquatic invertebrates) NOELR 0.131 mg/l/28d (fish) NOELR 0.23 mg/l/21d (aquatic invertebrates) NOELR 3-100 mg/l/72h (algae / cyanobacteria) 75-28-5 isobutane 1.050	Hydroc	arbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics
1,000 mg/l/48h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/48h (aquatic invertebrates) 0.131 mg/l/28d (fish) 0.23 mg/l/21d (aquatic invertebrates) 3-100 mg/l/72h (algae / cyanobacteria) 75-28-5 isobutane 1,000 mg/l/48h (aquatic invertebrates) 1,4.22-69.43 mg/l/48h (aquatic invertebrates) 1,500 mg/l/34h (algae / cyanobacteria) 1,53-2 ppm/96h (Lepomis macrochirus) 1,53-2 ppm/96h (Lepomis macrochirus) 1,53-2 ppm/96h (fish) 1,53-2 mg/l/34h (microorganisms) 1,500 mg/l/36h (fish) 1,500 mg/l/36h (algae / cyanobacteria) 1,500 mg/l/36h (al	1,000 mg/l/48h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/34h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/34h (aquatic invertebrates) 0.131 mg/l/28d (fish) 0.23 mg/l/21d (aquatic invertebrates) 0.23 mg/l/21d (aquatic invertebrates) 0.24 mg/l/24h (algae / cyanobacteria) 0.25 mg/l/24h (algae / cyanobacteria) 0.25 mg/l/24h (aquatic invertebrates) 0.25 mg/l/24h (aquatic invertebrates) 0.25 mg/l/24h (algae / cyanobacteria) 0.25 mg/l/24h (algae / cyanobacteria) 0.25 mg/l/24h (algae / cyanobacteria) 0.25 mg/l/24h (inicroorganisms) 0.25 mg/l/24h (algae / cyanobacteria) 0.25	LL50	1,000 mg/l/96h (fish)
1,000 mg/l/24h (fish) 100 mg/l/96h (fish) 1,000 mg/l/96h (fish) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/28d (fish) 1,000 mg/l/28d (f	1,000 mg/l/24h (fish) 1,000 mg/l/24h (fish) 1,000 mg/l/34h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/34h (aquatic invertebrates) 0.131 mg/l/28d (fish) 0.23 mg/l/21d (aquatic invertebrates) 3-100 mg/l/72h (algae / cyanobacteria) 75-28-5 isobutane 14.22-69.43 mg/l/34h (aquatic invertebrates) 14.22-69.43 mg/l/34h (aquatic invertebrates) 15.3-2 ppm/96h (algae / cyanobacteria) 15.3-2 ppm/96h (Lepomis macrochirus) 15.3-2 ppm/96h (fish) 1.50	LL50	1,000 mg/l/72h (fish)
100 mg/l/96h (fish) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/28h (aquatic invertebrates) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/28d (fish) 1,000 mg/l/28h (algae / cyanobacteria) 1,000 mg/l/28h (microorganisms) 1,000 mg/l/28h (fish) 1,000 mg/l/28h (fish) 1,000 mg/l/28h (aquatic invertebrates) 1,000 mg/l/28h (aquatic invertebrates) 1,000 mg/l/28h (algae / cyanobacteria) 1,000 mg/l/28h (algae / cyanobact	1.00 mg/l/96h (fish) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/88h (aquatic invertebrates) 0.131 mg/l/28d (fish) 0.23 mg/l/21d (aquatic invertebrates) 0.23 mg/l/21d (aquatic invertebrates) 0.25 isobutane 0.25 isobutane 0.25 isobutane 0.25 isobutane 0.25 isobutane 0.25 isobutane 0.26 isobutane 0.27 isobutane 0.28 isobutane 0.29 isobutane 0.29 isobutane 0.29 isobutane 0.29 isobutane 0.29 isobutane 0.20 isobuta	LL50	1,000 mg/l/48h (fish)
EL50	1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/24h (aquatic invertebrates) 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/48h (aquatic invertebrates) NOELR 0.131 mg/l/28d (fish) NOELR 0.23 mg/l/21d (aquatic invertebrates) NOELR 3-100 mg/l/72h (algae / cyanobacteria) NOELR 3-100 mg/l/72h (algae / cyanobacteria) NOELR 24.11-147.54 mg/l/96h (fish) 14.22-69.43 mg/l/48h (aquatic invertebrates) NOELR 14.22-69.43 mg/l/96h (algae / cyanobacteria) NOELR 1.53-2 ppm/96h (Lepomis macrochirus) NOELR 1.53-2 ppm/96h (fish) 1.00 mg/l/96h (fish) 1.00 mg/l/96h (fish) 1.00 mg/l/96h (fish) 1.4-4 mg/l/72h (algae / cyanobacteria) 1.4-4 mg/l/72h (algae / cyanobacteria) 1.4-4 mg/l/72h (algae / cyanobacteria) 1.4-50 1	LL50	1,000 mg/l/24h (fish)
EL50 1,000 mg/l/24h (aquatic invertebrates) EL50 1,000 mg/l/72h (algae / cyanobacteria) EL0 1,000 mg/l/48h (aquatic invertebrates) NOELR 0.131 mg/l/28d (fish) NOELR 0.23 mg/l/21d (aquatic invertebrates) NOELR 3-100 mg/l/72h (algae / cyanobacteria) 75-28-5 isobutane LC50 24.11-147.54 mg/l/96h (fish) LC50 14.22-69.43 mg/l/48h (aquatic invertebrates) EC50 7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate LC50 1.53-2 ppm/96h (Lepomis macrochirus) EC50 4.6 ppm/48h (Daphnia Magna) EC50 5.2 mg/l/3h (microorganisms) LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	EL50	LLO	100 mg/l/96h (fish)
1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/48h (aquatic invertebrates) 1,000 mg/l/28d (fish) 0.23 mg/l/21d (aquatic invertebrates) 3-100 mg/l/72h (algae / cyanobacteria) 75-28-5 isobutane 1,000 mg/l/72h (algae / cyanobacteria) 1,000 mg/l/72h (algae / cyanobact	EL50	EL50	1,000 mg/l/48h (aquatic invertebrates)
1,000 mg/l/48h (aquatic invertebrates) 0.131 mg/l/28d (fish) 0.23 mg/l/21d (aquatic invertebrates) NOELR 3-100 mg/l/72h (algae / cyanobacteria) 75-28-5 isobutane 1.050 24.11-147.54 mg/l/96h (fish) 1.050 14.22-69.43 mg/l/48h (aquatic invertebrates) 1.050 7.71-19.37 mg/l/96h (algae / cyanobacteria) 1.001-85-3 zinc naphthenate 1.050 1.53-2 ppm/96h (Lepomis macrochirus) 1.050 4.6 ppm/48h (Daphnia Magna) 1.050 5.2 mg/l/3h (microorganisms) 1.00 mg/l/96h (fish) 1.10 1.10 mg/l/72h (algae / cyanobacteria) 1.11 1.12 1.12 1.13 1.14 1.14 1.15 1.15	1,000 mg/l/48h (aquatic invertebrates) NOELR	EL50	1,000 mg/l/24h (aquatic invertebrates)
NOELR	NOELR	EL50	1,000 mg/l/72h (algae / cyanobacteria)
NOELR 0.23 mg/l/21d (aquatic invertebrates) 3-100 mg/l/72h (algae / cyanobacteria)	NOELR 0.23 mg/l/21d (aquatic invertebrates) NOELR 3-100 mg/l/72h (algae / cyanobacteria) NOELR 3-100 mg/l/72h (algae / cyanobacteria) NOELR 3-100 mg/l/72h (algae / cyanobacteria) NOELR 24.11-147.54 mg/l/96h (fish) NOELR 24.11-147.54 mg/l/96h (fish) NOELR 24.11-147.54 mg/l/96h (algae / cyanobacteria) NOELR 14.22-69.43 mg/l/48h (algae / cyanobacteria) NOELR 15.37 mg/l/96h (algae / cyanobacteria) NOELR 1.53-2 ppm/96h (Lepomis macrochirus) NOELR 1.53-2 ppm/96h (Lepomis macrochirus) NOELR 1.54 mg/l/3h (microorganisms) NOELR 1.55 mg/l/48h (aquatic invertebrates) NOELR 1.44 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) NOELR 1.45 mg/l/72h (algae / cyanobacteria)	EL0	1,000 mg/l/48h (aquatic invertebrates)
NOELR 3-100 mg/l/72h (algae / cyanobacteria)	NOELR 3-100 mg/l/72h (algae / cyanobacteria)	NOELR	0.131 mg/l/28d (fish)
75-28-5 isobutane LC50	75-28-5 isobutane LC50 24.11-147.54 mg/l/96h (fish) LC50 14.22-69.43 mg/l/48h (aquatic invertebrates) EC50 7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate LC50 1.53-2 ppm/96h (Lepomis macrochirus) EC50 4.6 ppm/48h (Daphnia Magna) EC50 5.2 mg/l/3h (microorganisms) LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) 68425-15-0 Polysulfides, di-tert-dodecyl LC50 100 mg/l/96h (fish)	NOELR	0.23 mg/l/21d (aquatic invertebrates)
LC50	24.11-147.54 mg/l/96h (fish) 14.22-69.43 mg/l/48h (aquatic invertebrates) 7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate 1.53-2 ppm/96h (Lepomis macrochirus) 1.53-2 ppm/96h (Lepomis macrochirus) 1.53-2 mg/l/3h (microorganisms) 1.50 1.52 mg/l/3h (microorganisms) 1.50 1.53 mg/l/3h (microorganisms) 1.50 1.53 mg/l/3h (microorganisms) 1.50 1.53 mg/l/3h (microorganisms) 1.50 1.53 mg/l/3h (microorganisms) 1.50 1	NOELR	3-100 mg/l/72h (algae / cyanobacteria)
14.22-69.43 mg/l/48h (aquatic invertebrates) 7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate LC50	14.22-69.43 mg/l/48h (aquatic invertebrates) 7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate 1.53-2 ppm/96h (Lepomis macrochirus) 1.55-2 ppm/96h (Daphnia Magna) 1.55-2 mg/l/3h (microorganisms) 1.50 100 mg/l/96h (fish) 1.50 35 mg/l/48h (aquatic invertebrates) 1.4-4 mg/l/72h (algae / cyanobacteria) 1.4-4 mg/l/72h (algae / cyanobacteria) 1.58425-15-0 Polysulfides, di-tert-dodecyl 1.50 100 mg/l/96h (fish)	75-28-5	isobutane
7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate LC50	7.71-19.37 mg/l/96h (algae / cyanobacteria) 12001-85-3 zinc naphthenate 1.53-2 ppm/96h (Lepomis macrochirus) 1.53-2 ppm/96h (Lepomis macrochirus) 1.50	LC50	1
12001-85-3 zinc naphthenate LC50	12001-85-3 zinc naphthenate LC50		/
LC50 1.53-2 ppm/96h (Lepomis macrochirus) EC50 4.6 ppm/48h (Daphnia Magna) EC50 5.2 mg/l/3h (microorganisms) LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	1.53-2 ppm/96h (Lepomis macrochirus) EC50		
EC50 4.6 ppm/48h (Daphnia Magna) EC50 5.2 mg/l/3h (microorganisms) LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	4.6 ppm/48h (Daphnia Magna) 5.2 mg/l/3h (microorganisms) 1.150 100 mg/l/96h (fish) 5.5 mg/l/48h (aquatic invertebrates) 5.5 mg/l/48h (aquatic invertebrates) 5.7 mg/l/72h (algae / cyanobacteria) 5.8 mg/l/72h (algae / cyanobacteria) 5.9 NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) 5.0 Polysulfides, di-tert-dodecyl 5.0 mg/l/96h (fish)		·
EC50 5.2 mg/l/3h (microorganisms) LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	5.2 mg/l/3h (microorganisms) LL50		
LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	LL50 100 mg/l/96h (fish) EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) 68425-15-0 Polysulfides, di-tert-dodecyl LC50 100 mg/l/96h (fish)		
EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	EL50 35 mg/l/48h (aquatic invertebrates) EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) 68425-15-0 Polysulfides, di-tert-dodecyl LC50 100 mg/l/96h (fish)		
EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	EL50 1.4-4 mg/l/72h (algae / cyanobacteria) NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) 68425-15-0 Polysulfides, di-tert-dodecyl LC50 100 mg/l/96h (fish)		1
NOELR 0.32-1 mg/l/72h (algae / cyanobacteria)	NOELR 0.32-1 mg/l/72h (algae / cyanobacteria) 68425-15-0 Polysulfides, di-tert-dodecyl LC50 100 mg/l/96h (fish)		· · · · · · · · · · · · · · · · · · ·
	68425-15-0 Polysulfides, di-tert-dodecyl LC50 100 mg/l/96h (fish)		1
38425-15-0 Polysulfides di-tert-dodecyl	LC50 100 mg/l/96h (fish)		

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

	(Contd. of page 8)
LL50	100 mg/l/96h (fish)
	0.08 mg/l/72h (algae / cyanobacteria)
	10-10,000 mg/l/72h (microorganisms)
NOEC	100 mg/l/96h (fish)
NOEC	0.1 mg/l/48h (aquatic invertebrates)

· 12.2 Persistence a	· 12.2 Persistence and degradability No further relevant information available.		
· 12.3 Bioaccumulat	ive potential		
106-97-8 butane, p	ure		
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)		
74-98-6 propane			
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)		
Hydrocarbons, C9	-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics		
Biodegradability	80 % (28d) (Bioaccumulation) (OECD 301 F)		
75-28-5 isobutane			
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)		
Biodegradability	Biodegradability 100 % (28d) (Biodegradability)		
68425-15-0 Polysu	lfides, di-tert-dodecyl		
Partition coefficient	6.2-12.45 [] (log Kow) (Bioaccumulation)		

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR/RID/ADN, IMDG, IATA UN1950

(Contd. on page 10)

MOTOREX Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 9) · 14.2 UN proper shipping name ADR/RID/ADN 1950 AEROSOLS · IMDG **AEROSOLS** · IATA AEROSOLS. flammable · 14.3 Transport hazard class(es) · ADR/RID/ADN 2 5F Gases. · Class · Label 2.1 · IMDG, IATA · Class 2.1 Gases. · Label 2.1 · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA Not classified as hazardous for transport · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Gases. Hazard identification number (Kemler code): F-D.S-U · EMS Number: · Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity · Segregation Code of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR/RID/ADN · Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category Tunnel restriction code D

(Contd. on page 11)



Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 10)

· IMDG

· Limited quantities (LQ)

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1L

- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National chemical directories

Components listed or exempted from listing:

TSCA (USA) DSL/NDSL (CDN)

AICS (Aus)

IECSC (CN)

EINECS/ELINCS/NLP (EU)

ECL/KECI (KOR)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H220 Extremely flammable gas.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 12)

MOTOREX*
Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 11)

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 3: Flammable liquids - Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of lubricants and greases in open systems
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC24 Lubricants, greases, release products
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC7 Industrial spraying

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

(Contd. on page 13)

MOTOREX*
Oil of Switzerland
Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 12)

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of lubricants and greases in open systems
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC24 Lubricants, greases, release products
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.

(Contd. on page 14)

MOTOREX*
Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 13)

· Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in open systems
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 4

- · Short title of the exposure scenario Industrial use of sprays
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Product category

PC14 Metal surface treatment products

PC34 Textile dyes, and impregnating products

- Process category PROC11 Non industrial spraying
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.

(Contd. on page 15)

MOTOREX*
Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 14)

- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 5

- · Short title of the exposure scenario Professional use of sprays
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC14 Metal surface treatment products

PC34 Textile dyes, and impregnating products

- · Process category PROC11 Non industrial spraying
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.

(Contd. on page 16)

MOTOREX*
Oil of Switzerland

Revision: 16.04.2024

Printing date 16.04.2024

Version number 4.1 (replaces version 4.0)

Trade name: GREASE SPRAY

(Contd. of page 15)

- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 6

- · Short title of the exposure scenario Private use of sprays
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category

PC14 Metal surface treatment products

PC34 Textile dyes, and impregnating products

- Process category PROC11 Non industrial spraying
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB