(•) | |

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : E2 MOTO WASH Product code : 43702

1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated motorcycle cleaner

1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL Address : 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE Telephone : 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: . Email : motul_hse@motul.fr

1.4. Emergency telephone number : +44 (0) 1235 239 670.

Association/Organisation : ORFILA.

Other emergency numbers

BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 601 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336 Ireland : +353 1 8092566 UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671 24 hours a day, 7 days a week

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use. **2.2. Label elements**

Detergent mixture (see section 15).

Mixture for spray application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word :	
DANGER	
Product identifiers :	
EC 500-058-1	OCTAN-1-OL, ETHOXYLATED
EC 500-234-8	ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS
Additional labeling :	
EUH208	Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE. May produce an allergic reaction.
Hazard statements :	
H318	Causes serious eye damage.
Precautionary statements	- General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements	- Prevention :
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements	- Response :
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P310

 \sim

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification (EC) 1272/2008	Note	%
CAS: 27252-75-1	GHS05		1 <= x % < 2.5
EC: 500-058-1	Dgr		
	Eye Dam. 1, H318		
OCTAN-1-OL, ETHOXYLATED			
CAS: 68891-38-3	GHS05		1 <= x % < 2.5
EC: 500-234-8	Dgr		
REACH: 01-2119488639-16	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
ALCOHOLS, C12-14, ETHOXYLATED,	Aquatic Chronic 3, H412		
SULFATES, SODIUM SALTS			
CAS: 64-02-8	GHS07, GHS05, GHS08		1 <= x % < 2.5
EC: 200-573-9	Dgr		
REACH: 01-2119486762-27	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
TETRASODIUM	Acute Tox. 4, H332		
ETHYLENEDIAMINETETRAACETATE	STOT RE 2, H373		
CAS: 102-71-6		[1]	1 <= x % < 2.5
EC: 203-049-8			
REACH: 01-2119486482-31			
2,2',2"-NITRILOTRIETHANOL			
CAS: 111-42-2	GHS08, GHS07, GHS05	[1]	0 <= x % < 1
EC: 203-868-0	Dgr	[2]	
REACH: 01-2119488930-28	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
2,2'-IMINODIETHANOL	Eye Dam. 1, H318		
	Repr. 2, H361fd		
	STOT RE 2, H373		
CAS: 55965-84-9	GHS06, GHS05, GHS09		0 <= x % < 1
	Dgr		
METHYLCHLOROISOTHIAZOLINONE, MET	Acute Tox. 3, H301		
HYLISOTHIAZOLINONE	Acute Tox. 2, H310		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Acute Tox. 1, H330		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH:071		

Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 111-42-2		inhalation: ATE = 3.35 mg/l
EC: 203-868-0		(vapours)
REACH: 01-2119488930-28		oral: ATE = 1600 mg/kg BW

SAFETY DATA SHEET (REGULATION (EC) n° 19	907/2006 - REACH)
E2 MOTO WASH - 43702	

2,2'-IMINODIETHANOL		
CAS: 55965-84-9	Skin Corr. 1B: H314 C>= 0.6%	inhalation: ATE = 0.33 mg/l 4h
	Skin Irrit. 2: H315 0.06% <= C <	(dust/mist)
METHYLCHLOROISOTHIAZOLINONE,MET	0.6%	
HYLISOTHIAZOLINONE	Eye Dam. 1: H318 C>= 0.6%	
	Eye Irrit. 2: H319 0.06% <= C < 0.6%	
	Skin Sens. 1: H317 C>= 0.0015%	

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

Remove the victim to fresh air. If the symptoms persist, call a physician.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention. Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

- In the event of a fire, use :
- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

High volume water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

- In the event of a fire, the following may be formed :
- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Do not get in eyes, on skin, or on clothing.

Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Ensure good ventilation at the workplace

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used. Do not breathe fumes, vapour, spray.

7.2. Conditions for safe storage, including any incompatibilities

Only use hydrocarbon-resistant containers, joints and pipes.

Keep from freezing.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
102-71-6	5 mg/m3					
111-42-2	1 (IFV) mg/m3			Skin; A3		
- Germany - AGW (BAuA - TRGS 900, 02/2022) :						
CA8			Execco	Notoo		

UAU		LACC33	110103	
102-71-6	2 E ppm		1 (l)	
	4 (II) mg/m ³			
111-42-2	0.11 ppm		1 (l)	
	0.5 mg/m ³			

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

SAFETY DAT E2 MOTO WA	A SHEET (REGULATI) ASH - 43702	ON (EC) n° 1907/2006	- REACH)		Version 2	17.1 (12-09-2023) - Page 5/
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
111-42-2	3	15	-	-	-	49.49 Bis
8.2. Expos	ure controls					
Ensure a	e engineering control dequate ventilation, if p el shall wear regularly la	ossible with extractor	fans at work posts a	nd appropriate genera	I extraction.	
Personal p	rotection measures, s	such as personal pro	tective equipment			
-	onal protective equipm			aintained.		
•	sonal protective equipr		,			
	t, drink or smoke during y in confined areas.	g use. Remove and wa	ash contaminated clo	othing before re-using.	Ensure that there	is adequate ventilation,
- Eye / face	protection					
Avoid co	ntact with eyes.					
Use eye	protectors designed to	protect against liquid s	plashes			
	andling, wear safety go			h standard EN166.		
	ent of high danger, prot					
-	raying, wear a face shi ion glasses are not con		stanuaru EN 166.			
-	ls wearing contact lens	•	iption glasses during	g work where they may	/ be exposed to irri	tant vapours.
	eyewash stations in fac	•			,	
- Hand pro	tection					
Gloves m Protectiv necessar Type of g - Nitrile n	ble protective gloves the nust be selected accord e gloves need to be sel y physical protections (ploves recommended : ubber (butadiene-acrylo plyvinyl alcohol)	ling to the application a lected according to the (cutting, pricking, heat	and duration of use a ir suitability for the v protection), level of	at the workstation. vorkstation in question		roducts that may be handle
- Body pro	tection					
	thing worn by personne tact with the product, a			nust be washed.		
- Respirato	ory protection					
Breathing	apparatus only when	aerosol or spray are fo	rmed.			
SECTION 9	: PHYSICAL AND C	HEMICAL PROPE	RTIES			
9.1. Inform	ation on basic physic	al and chemical prop	erties			
Physical st	ate					
Physical state	:		FI	uid liquid.		
Colour						
Unspecif	ed					
Odour						
Odour thresho	old :		N	ot stated.		
Melting po	int					
Melting point/	melting range :		N	ot relevant.		
Freezing p	oint					
Freezing poin	t / Freezing range :		N	ot stated.		
Boiling poi	nt or initial boiling po	oint and boiling range	•			
Boiling point/b	oiling range :		N	ot relevant.		
Flammabil	ity					
Flammability (solid das):		N	ot stated.		

	Flammability (solid, gas) :	Not stated.
2	Lower and upper explosion limit	
	Explosive properties, lower explosivity limit (%) :	Not stated.
	Explosive properties, upper explosivity limit (%):	Not stated.
Q	Flash point	
	Flash point interval :	Not relevant.
2	Auto-ignition temperature	
	Self-ignition temperature :	250 °C.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - R	EACH) Version 17.1 (12-09-2023) - Pa	ge 6/1
E2 MOTO WASH - 43702		
Decomposition temperature		
Decomposition point/decomposition range :	250 °C.	
pH		
pH (aqueous solution) :	Not stated.	
pH :	Not relevant.	
Kinematic viscosity		
Viscosity :	Not stated.	
Viscosity:	v < 7 mm2/s (40°C)	
Solubility		
Water solubility :	Dilutable.	
Fat solubility :	Not stated.	
Partition coefficient n-octanol/water (log value)		
Partition coefficient: n-octanol/water :	Not stated.	
Vapour pressure		
Vapour pressure (50°C):	Not relevant.	
Density and/or relative density		
Density :	>1	
Relative vapour density		
Vapour density :	Not stated.	
9.2. Other information		

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

10.5. Incompatible materials

Strong oxidants

Acids

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity :

METHYLCHLOROISOTHIAZOLINONE,METHYLISOTHIAZOLINONE (CAS: 55965-84-9) Inhalation route (Dusts/mist) : LC50 = 0.33 mg/l Species : Rat

Duration of exposure : 4 h

Oral route :	LD50 = 1600 mg/kg bodyweight/day Species : Rat
	OECD Guideline 401 (Acute Oral Toxicity)
Dermal route :	LD50 > 8200 mg/kg bodyweight/day
	Species : Rabbit
Inhalation route (Vapours) :	LC50 = 3.35 mg/l
	Species : Rat

11.1.2. Mixture

Skin corrosion/skin irritation :

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.

Serious damage to eyes/eye irritation :

Mild eye irritation

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

Aspiration hazard :

C.

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons." May cause lung damage if swallowed

11.2. Information on other hazards

ECTION 12 : ECOLOGICAL INFORM	IATION
12.1. Toxicity	
12.1.1. Substances	
ALCOHOLS, C12-14, ETHOXYLATED), SULFATES, SODIUM SALTS (CAS: 68891-38-3)
Fish toxicity :	NOEC > 1 mg/l
	Species : Leuciscus idus
Crustacean toxicity :	0,1 < NOEC <= 1 mg/l
	Species : Daphnia magna
METHYLCHLOROISOTHIAZOLINONE	E,METHYLISOTHIAZOLINONE (CAS: 55965-84-9)
Fish toxicity :	0.001 < LC50 <= 0.01 mg/l
	Factor M = 100
	Duration of exposure : 96 h
	0.00001 < NOEC <= 0.0001 mg/l
	Factor M = 100
2,2'-IMINODIETHANOL (CAS: 111-42-	-2)
Fish toxicity :	LC50 = 1460 mg/l
	Species : Pimephales promelas
	Duration of exposure : 96 h
	OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)
Crustacean toxicity :	EC50 = 55 mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h
	OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)
Algae toxicity :	ECr50 = 2.2 mg/l
	Species : Pseudokirchnerella subcapitata
	Duration of exposure : 96 h
	OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

12.1.2. Mixtures

	2 MOTO WASH - 43702		Version 17.1 (12-09-2023) - Page 8/10		
	12.2. Persistence and degradability 12.2.1. Substances METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE (CAS: 55965-84-9) Biodegradability : Rapidly degradable.				
5					
	2,2'-IMINODIETHANOL (CAS: 111-42-2)				
	Biodegradability :	Rapidly degradable.			
	ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (CAS: 68891-38-3) Biodegradability : Rapidly degradable.				
2	12.2.2. Mixtures				
B	iodegradation :	No data on decomposition is availabl decompose rapidly.	e, the mixture is not considered to		
	12.3. Bioaccumulative potential				
)	12.3.1. Substances				
	2,2'-IMINODIETHANOL (CAS: 111-42-2)				
	Octanol/water partition coefficient :	log Koe = -2.18			
		OCDE Ligne directrice 107 (Co	efficient de partage (n-octanol/eau): méthode		
		par agitation en flacon)			
	Bioaccumulation :	BCF < 3			
	12.4. Mobility in soil				
	Water soluble				
	12.5. Results of PBT and vPvB assessment				
	No data available.				
	12.6. Endocrine disrupting properties				
	No data available.				
	12.7. Other adverse effects				
	Do not dispose of the product in the natural environment, effluents or surface waters.				
S	SECTION 13 : DISPOSAL CONSIDERATIONS				
	Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.				
	13.1. Waste treatment methods				
	Do not pour into drains or waterways.				
	Waste :				
•	Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, ai				
	soil, plants or animals.				
	Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.				
	Do not contaminate the ground or water with waste, do not dispose of waste into the environment. Soiled packaging :				
	Empty container completely. Keep label(s) on container.				
	Give to a certified disposal contractor.				
S	SECTION 14 : TRANSPORT INFORMATION				
	Exempt from transport classification and labelling.				
	Exempt from transport classification and label	iniy.			

14.3. Transport hazard class(es)

14.4. Packing group

-

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5 % : phosphonates
- less than 5 % : anionic surfactants
- less than 5 % : non-ionic surfactants
- less than 5 % : EDTA and salts thereof
- preservatives

methylchloroisothiazolinone, methylisothiazolinone

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

	- ·	
	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H310	Fatal in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H330	Fatal if inhaled.
	H332	Harmful if inhaled.
	H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
	H373	May cause damage to organs through prolonged or repeated exposure .
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.
57.		

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC : The concentration with no observed effect.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) E2 MOTO WASH - 43702

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

PBT: Persistent, bioaccumulable and toxic.

 $v P v B: Very \ persistent, \ very \ bioaccumulable.$

SVHC : Substances of very high concern.