Printing date 05.09.2022



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: FETT 176 GP
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Fat liquor Only for proper handling.
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

#### SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains Zinc naphthenate. May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Zinc naphthenate

Skin Sens. 1, H317 ≥0.25-<1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Remove residues with soap and water.

(Contd. on page 2)

GB

Printing date 05.09.2022

Version number 3.0 (replaces version 2.0)



#### Trade name: FETT 176 GP

(Contd. of page 1)

- After eye contact: Rinse opened eye for several minutes under running water. Consult a physician if irritation develops.
- After swallowing: Do not induce vomitting. Do not take in resorption stimulating agents. Consult a physician who will decide on need and method of emptying the stomach.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: DO NOT USE WATER JET
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.


- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Store containers closed and protect against rain, dust, heat and other atmospheric influences. Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)

GB





Trade name: FETT 176 GP

Printing date 05.09.2022

	(Contd. of page
8.2 Exposure controls	
Appropriate engineering controls No furthe	
Individual protection measures, such as pe	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and fee	
Wash hands before breaks and at the end of w	vork.
Do not inhale gases / fumes / aerosols.	
Respiratory protection:	
Not necessary if room is well-ventilated.	
Respiratory protection if formation of aerosol of	or mist: use mask with filter type A2, A2/P2 or ABEK.
Hand protection	
	e and resistant to the product/ the substance/ th
preparation.	
	ion of the penetration times, rates of diffusion and th
degradation	
Material of gloves Natural rubber, NR	
Penetration time of glove material	
0	l out by the manufacturer of the protective gloves ar
has to be observed.	
Eye/face protection Not required.	
Body protection: Protective work clothing	
SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and chem	nical properties
General Information	
Physical state	Solid
Colour:	Beige
Odour:	Characteristic
	Characteristic Not determined
Odour threshold:	Not determined.
Odour threshold: Melting point/freezing point:	
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	Not determined. >185 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	Not determined. >185 °C >250 °C (DIN EN ISO 3405)
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	Not determined. >185 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. Not determined. >200 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not determined. Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not determined. Not applicable. NLGI 2 @ 25 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not determined. Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not determined. Not applicable. NLGI 2 @ 25 °C
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable. Not applicable.
Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Insoluble. Insoluble.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable. Not applicable.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure: Density and/or relative density	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Insoluble. Not determined. Not determined. Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure: Density and/or relative density Density at 20 °C:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable. Insoluble. Not determined. Not determined. Not applicable. 0.91 g/cm <sup>3</sup> (ASTM D 4052)
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure: Density and/or relative density Density at 20 °C: Relative density	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable. Not applicable. Not determined. Not determined. 0.91 g/cm <sup>3</sup> (ASTM D 4052) Not determined.
Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure: Density and/or relative density Density at 20 °C:	Not determined. >185 °C >250 °C (DIN EN ISO 3405) Not determined. Not determined. Not determined. >200 °C Not determined. Not applicable. NLGI 2 @ 25 °C Not applicable. Not applicable. Insoluble. Not determined. Not determined. Not applicable. 0.91 g/cm <sup>3</sup> (ASTM D 4052)

Printing date 05.09.2022

Version number 3.0 (replaces version 2.0)



Trade name: FETT 176 GP

	(Contd. of page 3
· 9.2 Other information	
· Appearance:	
Form:	Pasty
· Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical haz	ard
classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void
<ul> <li>Substances and mixtures, which emit</li> </ul>	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

#### · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 5)

GB

Printing date 05.09.2022

Version number 3.0 (replaces version 2.0)



(Contd. of page 4)

#### Trade name: FETT 176 GP

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Not hazardous for water.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	tion
· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR/RID/ADN, ADN, IMDG, IATA</li> </ul>	Void
14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	Νο
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordiation</li> <li>IMO instruments</li> </ul>	ing to Not applicable.
· UN "Model Regulation":	Void

## SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 6)

GB

Printing date 05.09.2022

Version number 3.0 (replaces version 2.0)



Trade name: FETT 176 GP

(Contd. of page 5)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

#### · purity requirement

#### · Relevant phrases

- H317 May cause an allergic skin reaction.
- **Department issuing SDS:** Abteilung Produktsicherheit • **Abbreviations and acronyms:**
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1
- \* Data compared to the previous version altered.

#### Annex: Exposure scenario 1

• Short title of the exposure scenario Industrial use of lubricants and greases in open systems • Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC24 Lubricants, greases, release products
- · Process category

*PROC1* Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC7 Industrial spraying

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) • Description of the activities / processes covered in the Exposure Scenario

- See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.

(Contd. on page 7)

Printing date 05.09.2022

Version number 3.0 (replaces version 2.0)



#### Trade name: FETT 176 GP

	(Contd. of page 6)	)
<ul> <li>Other operational</li> </ul>	conditions affecting consumer exposure during the use of the product	
Not applicable.		

- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- Air No special measures required.
- · Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

#### Annex: Exposure scenario 2

- Short title of the exposure scenario Professional use of lubricants and greases in open systems Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Product category PC24 Lubricants, greases, release products
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

- PROC10 Roller application or brushing
- PROC11 Non industrial spraying
- PROC13 Treatment of articles by dipping and pouring

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product
- Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- Air No special measures required.

(Contd. on page 8)

<sup>-</sup> GB

Version number 3.0 (replaces version 2.0)



(Contd. of page 7)

Trade name: FETT 176 GP

Printing date 05.09.2022

· Water No special measures required.

· Disposal measures Ensure that waste is collected and contained.

· Disposal procedures Dispose of product residues with household waste.

· Waste type Partially emptied and uncleaned packaging

· Exposure estimation

• Consumer Not relevant for this Exposure Scenario.

· Guidance for downstream users No further relevant information available.

#### Annex: Exposure scenario 3

• Short title of the exposure scenario Private use of lubricants and greases in open systems • Sector of Use SU21 Consumer uses: Private households / general public / consumers

• **Product category** PC24 Lubricants, greases, release products

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

• **Description of the activities** / **processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

· Duration and frequency 5 workdays/week.

Physical parameters

• Physical state Fluid

· Concentration of the substance in the mixture The substance is main component.

· Other operational conditions

• Other operational conditions affecting environmental exposure No special measures required.

· Other operational conditions affecting consumer exposure Not required.

• Other operational conditions affecting consumer exposure during the use of the product Not applicable.

Risk management measures

· Worker protection

· Organisational protective measures No special measures required.

· Technical protective measures No special measures required.

· Personal protective measures No special measures required.

• Measures for consumer protection No special measures required.

Environmental protection measures

Air No special measures required.

· Water No special measures required.

• Disposal measures Ensure that waste is collected and contained.

• Disposal procedures Dispose of product residues with household waste.

· Waste type Partially emptied and uncleaned packaging

· Exposure estimation

• Consumer Not relevant for this Exposure Scenario.

• Guidance for downstream users No further relevant information available.

GB –