according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SILICONE SPECIAL 250 BLACK - 70 ML

Product code : 0890323

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Sealant

stance/Mixture Professional use product

Recommended restrictions

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

: isi@wuerth.com

## 1.4 Emergency telephone number

+49 (0)6132 - 84463

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **Additional Labelling**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)	
Triacetoxyethylsilane	17689-77-9 241-677-4	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 EUH014, EUH071  Acute toxicity estimate  Acute oral toxicity: 1.460 mg/kg	>= 3 - < 5	
Substances with a workplace exposure limit :				
Manganese ferrite black spinel	68186-94-7 269-056-3		>= 10 - < 20	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Metal oxides
Carbon oxides

Silicon oxides

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.03.2024

 7.1
 19.08.2024
 10629792-00014
 Date of first issue: 11.06.2010

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Keep away from water. Protect from moisture.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.03.2024

 7.1
 19.08.2024
 10629792-00014
 Date of first issue: 11.06.2010

nated clothing before re-use.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Storage class (TRGS 510) : 11

Storage period : 12 Months

Recommended storage tem- :

perature

20 °C

7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Manganese ferrite	68186-94-7	AGW (Inhalable	0,2 mg/m3	DE TRGS
black spinel		fraction)	(Manganese)	900
	Peak-limit: excursion factor (category): 8;(II)			
	Further inform	nation: For Permanga	anates an excursion factor of	1(II) applies.,
	When there is	compliance with the	e OEL and biological tolerand	e values, there
	is no risk of ha	arming the unborn ch	nild	
		AGW (Alveolate	0,02 mg/m3	DE TRGS
		fraction)	(Manganese)	900
	Peak-limit: excursion factor (category): 8;(II)			
	Further information: For Permanganates an excursion factor of 1(II) applies.,			
	When there is compliance with the OEL and biological tolerance values, there			
	is no risk of harming the unborn child			
		TWA (inhalable	0,2 mg/m3	2017/164/EU
		fraction)	(Manganese)	
	Further information: Indicative			
		TWA (Respirable	0,05 mg/m3	2017/164/EU
		fraction)	(Manganese)	
	Further information: Indicative			
		MAK (measured	0,02 mg/m3	DE DFG MAK
		as the alveolate	_	
		fraction)		
	Peak-limit: excursion factor (category): 8; II			
	Further information: Damage to the embryo or foetus is unlikely when the			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.03.2024

 7.1
 19.08.2024
 10629792-00014
 Date of first issue: 11.06.2010

	MAK value or the BAT value is observed, Permanganates: Peak limitation category I(1)			
		MAK (inhalable fraction)	0,2 mg/m3	DE DFG MAK
	Peak-limit: excursion factor (category): 8; II			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed, Permanganates: Peak limitation category I(1)			
Silicon, amorphous	112945-52-	AGW (Inhalable	4 mg/m3	DE TRGS
	5	fraction)	(Silica)	900
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		MAK (measured	0,02 mg/m3	DE DFG MAK
		as the alveolate		
		fraction)		
	Peak-limit: excursion factor (category): 8; II			
	Further information: Damage to the embryo or foetus is unlikely when the			
	MAK value or the BAT value is observed			

# Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Acetic acid	64-19-7	TWA	10 ppm	2017/164/EU
			25 mg/m3	
	Further inform	Further information: Indicative		
		STEL	20 ppm	2017/164/EU
			50 mg/m3	
	Further inform	Further information: Indicative		
		MAK	10 ppm	DE DFG MAK
			25 mg/m3	
	Peak-limit: ex	Peak-limit: excursion factor (category): 2; I		
	Further inform	Further information: Damage to the embryo or foetus is unlikely when the		
	MAK value or	MAK value or the BAT value is observed		
		AGW	10 ppm	DE TRGS
			25 mg/m3	900
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(I)		
	Further inform	Further information: When there is compliance with the OEL and biological		
	tolerance valu	tolerance values, there is no risk of harming the unborn child		

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Manganese ferrite black spinel	Workers	Inhalation	Long-term local effects	10 mg/m3
Triacetoxyethylsilane	Workers	Inhalation	Long-term local ef- fects	32,5 mg/m3
	Workers	Inhalation	Acute local effects	32,5 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	6,5 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.03.2024

 7.1
 19.08.2024
 10629792-00014
 Date of first issue: 11.06.2010

Substance name	Environmental Compartment	Value
Triacetoxyethylsilane	Fresh water	0,2 mg/l
	Marine water	0,02 mg/l
	Intermittent use/release	1,7 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	0,74 mg/kg
	Marine sediment	0,074 mg/kg
	Soil	0,031 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

Wear the following personal protective equipment:

Safety glasses

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Equipment should conform to DIN EN 166

#### Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : >= 0.5 mm

Directive : Equipment should conform to DIN EN 374

Material : Chloroprene
Break through time : > 480 min
Glove thickness : >= 0,5 mm

Directive : Equipment should conform to DIN EN 374

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : >= 0,5 mm

Directive : Equipment should conform to DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Skin should be washed after contact.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to DIN EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : coloured

Odour : stinging

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Flash point : Not applicable

Auto-ignition temperature : ca. 400 °C

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

Viscosity, kinematic : > 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : 1,09 - 1,11 g/cm<sup>3</sup> (20 °C)

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Not classified as a reactivity hazard.

## 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

Hazardous decomposition products will be formed upon con-

tact with water or humid air.

## 10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

Water

10.6 Hazardous decomposition products

Contact with water or humid : Acetic acid

air

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin contact exposure Ingestion

Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Expert judgement

**Components:** 

Triacetoxyethylsilane:

Acute oral toxicity : LD50 (Rat): 1.460 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Manganese ferrite black spinel:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

**Components:** 

Triacetoxyethylsilane:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

Manganese ferrite black spinel:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

**Components:** 

Triacetoxyethylsilane:

Result : Irreversible effects on the eye

Manganese ferrite black spinel:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Triacetoxyethylsilane:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Assessment : Does not cause skin sensitisation.

Manganese ferrite black spinel:

Test Type : Maurer optimisation test

Exposure routes : Skin contact Species : Guinea pig Result : negative

Remarks : Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

## Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Triacetoxyethylsilane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

#### Manganese ferrite black spinel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### **Components:**

#### Manganese ferrite black spinel:

Assessment : No significant health effects observed in animals at concentra-

tions of 0.2 mg/l/6h/d or less.

#### Repeated dose toxicity

#### Components:

# Manganese ferrite black spinel:

Species : Rat

NOAEL : 10,1 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Remarks : Based on data from similar materials

# **Aspiration toxicity**

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Components:**

Triacetoxyethylsilane:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 251 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 168,7 mg/l

Exposure time: 48 h

Remarks: Data from similar compositions

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 24,41

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 18

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: >= 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

#### Manganese ferrite black spinel:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100.000 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 10.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

#### 12.2 Persistence and degradability

#### **Components:**

Triacetoxyethylsilane:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 21 d

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



#### SILICONE SPECIAL 250 BLACK - 70 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.03.2024

 7.1
 19.08.2024
 10629792-00014
 Date of first issue: 11.06.2010

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product, unused product

08 04 09, waste adhesives and sealants containing organic

solvents or other hazardous substances

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

Acc. Packaging Act properly emptied packaging: Properly emptied, non-contaminated packaging of nonhazardous products can be supplied to a system for the col-

lection of sales packaging.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



#### SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please

contact your vendor.

Banned and/or restricted

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

Version **Revision Date:** SDS Number: Date of last issue: 25.03.2024 19.08.2024 10629792-00014 Date of first issue: 11.06.2010 7.1

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) on substances that deplete the ozone

layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa-

ny)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) 5.2.1: Total dust:

Not applicable

5.2.2: Inorganic substances in powdered form: Class 3: 10 % Manganese ferrite black spinel 5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Not applicable

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

others: 0,1 % Dibutylbis[(1-oxoneodecyl)oxy]stannane

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

Volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SILICONE SPECIAL 250 BLACK - 70 ML

Version Revision Date: SDS Number: Date of last issue: 25.03.2024 7.1 19.08.2024 10629792-00014 Date of first issue: 11.06.2010

## Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.
EUH014 : Reacts violently with water.
EUH071 : Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage Skin Corr. : Skin corrosion

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# SILICONE SPECIAL 250 BLACK - 70 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.03.2024

 7.1
 19.08.2024
 10629792-00014
 Date of first issue: 11.06.2010

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN