MOTOREX Oil of Switzerland
Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: WHITE GREASE
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Grease

Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	≥0.25-<1%
EINECS: 202-414-9	STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Acute 1,	
	H400: Aquatic Chronic 1 H410: Acute Tox 4 H302	

(Contd. on page 2)



Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

CAS: 110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine ≥0.25-<1% |
EINECS: 203-749-3 | Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, Reg.nr.: 01-2119488991-20 | H332; Skin Irrit. 2, H315

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove residues with soap and water.

Remove contaminated clothing immediately.

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)

MOTOREX Oil of Switzerland
Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 2)

· Storage class: 11

· DNELs

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

95-38-5 2-(2-heptadec-8-envl-2-imidazolin-1-vl)ethanol

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

93-30-3 2-	-(2-neplauec-o-enyi-2-iiniuazoiiii-i-yi)eliian	ioi		
Dermal	DNEL / Workers / Systemic effects / Long-ter	rm	0.06 mg/kg/24h (worker)	
	DNEL/Workers/Systemic effects/acute-short	term	2 mg/kg/24h (worker)	
Inhalative DNEL / Workers / Systemic effects / Long-term		rm	0.46 mg/m3 (worker)	
	DNEL/Workers/Systemic effects/acute-short	term	14 mg/m3 (worker)	
110-25-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycir	ne		
Oral	DNEL/general population/Systemic effects/Lo	ong-term	5 mg/kg/24h (consumer)	
	DNEL/general pop/Systemic effects/acute-sh	ort term	92 mg/kg/24h (consumer)	
Dermal	DNEL / Workers / Systemic effects / Long-te	10 mg/kg/24h (worker)		
	DNEL/Workers/Systemic effects/acute-short	term	100 mg/kg/24h (worker)	
	DNEL/general population/Systemic effects/Lo	ong-term	5 mg/kg/24h (consumer)	
	DNEL/general pop/Systemic effects/acute-sh	ort term	50 mg/kg/24h (consumer)	
Inhalative	DNEL / Workers / Systemic effects / Long-te	rm	0.2 mg/m3 (worker)	
	DNEL/Workers/Systemic effects/acute-short	term	18 mg/m3 (worker)	
	DNEL/Workers/Local effects/acute-short term	n	18 mg/m3 (worker)	
	DNEL / Workers / Local Effects / Long-term		0.01 mg/m3 (worker)	
	DNEL/general population/Systemic effects/Lo	ong-term	0.1 mg/m3 (consumer)	
	DNEL/general pop/Systemic effects/acute-sh	ort term	9 mg/m3 (consumer)	
	DNEL/general pop/Local effects/acute-short	term	9 mg/m3 (consumer)	
	DNEL/general population/Local effects/Long-	-term	0.005 mg/m3 (consumer)	
·PNECs				
95-38-5 2-	-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethan	ol		
PNEC / Ad	quatic organisms / Freshwater	0.00003	mg/l (aquatic organisms)	
PNEC / Ad	quatic organisms / Marine water	0.00000	3 mg/l (aquatic organisms)	
PNEC/Aqu	uatic org/intermittent releases(freshwater)	0.0003 n	ng/l (aquatic organisms)	
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	0.27 mg/	/l (aquatic organisms)	
PNEC / Aquatic organisms / Sediment (freshwater) 0.		0.376 m	g/kg (aquatic organisms)	
PNEC / Ad	, , , , , , , , , , , , , , , , , , , ,		0.0376 mg/kg (aquatic organisms)	
· · · · · · · · · · · · · · · · · · ·		0.075 m	g/kg (terrestrial organisms)	
110-25-8 ((Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycir	ne		
PNEC / Aquatic organisms / Freshwater			mg/l (aquatic organisms)	
PNEC / Aquatic organisms / Marine water			3 mg/l (aquatic organisms)	
PNEC/Aquatic org/intermittent releases(freshwater)			ng/l (aquatic organisms)	
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	13 mg/l ((aquatic organisms)	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

MOTOREX*
Oil of Switzerland

Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 3)

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state Colour: White

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.

· Flash point: >200 °C

• Decomposition temperature: Not determined. • pH Not applicable.

· Viscosity: NLGI 2

• Kinematic viscosity Not applicable.

· Consistency

Dynamic: Not applicable.

Solubility

· water: Insoluble.

· Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

· Vapour pressure: Not applicable.

Density and/or relative density

• **Density at 20 °C:** 0.96 g/cm³ (ASTM D 4052)

· Relative density Not determined.

(Contd. on page 5)



Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 4) · Vapour density Not applicable. 9.2 Other information · Appearance: · Form: Pasty · Important information on protection of health and environment, and on safety. · Explosive properties: Product does not present an explosion hazard. · Change in condition · Drip point: >180 °C · Evaporation rate Not applicable. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50	values rele	evant for classification:
95-38-5 2	-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	
Oral	LD50	1,000-1,265 mg/kg (rat)
	NOAEL	20 mg/kg/24h (rat)
110-25-8	(Z)-N-meth	nyl-N-(1-oxo-9-octadecenyl)glycine
Oral	LD50	5,000 mg/kg (rat)

(Contd. on page 6)



Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

		(Contd. of page	5)
	NOAEL	1,000 mg/kg/24h (rat)	
Inhalative	LC50 / 1h	1.8-3.7 mg/l (rat)	
	LC50 / 4h	1.01-1.85 mg/l (rat)	
	NOEL	6 mg/m3 (rat)	
	NOAEC	60 mg/m3 (rat)	

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquation	c toxicity:
95-38-5	5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
LC0	0.18 mg/l/96h (fish)
LC100	0.58 mg/l/96h (fish)
EC10	0.0122-0.0143 mg/l/72h (algae / cyanobacteria)
EC50	0.0169-0.03 mg/l/72h (algae / cyanobacteria)
EC100	0.326 mg/l/48h (aquatic invertebrates)
EC0	0.064 mg/l/48h (aquatic invertebrates)
EC50	0.163 mg/l/48h (aquatic invertebrates)
NOEC	0.011 mg/l/72h (algae / cyanobacteria)
110-25	-8 (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine
LC50	9.3 mg/l/96h (fish)
EC50	1,300 mg/l/3h (microorganisms)
EC50	6.3 mg/l/72h (algae / cyanobacteria)
EC50	0.43 mg/l/48h (aquatic invertebrates)
NOEC	0.91 mg/l/72h (algae / cyanobacteria)
NOEC	6.81 mg/l/96h (fish)
NOEC	0.38 mg/l/48h (aquatic invertebrates)
NOEC	10 mg/l/3h (microorganisms)

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumula	tive potential
95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	
Biodegradability	1 % (28d) (Biodegradability) (OECD 301 B)
110-25-8 (Z)-N-met	hyl-N-(1-oxo-9-octadecenyl)glycine
Partition coefficient	3.5-4.2 [] (log Kow) (Bioaccumulation)
Biodegradability	85.2 % (28d) (Biodegradability) (OECD 301 B)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Harmful to fish

(Contd. on page 7)

MOTOREX*
Oil of Switzerland
Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 6)

- · Additional ecological information:
- General notes:

Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National chemical directories

Components listed or exempted from listing:

TSCA (USA) DSL/NDSL (CDN) ENCS/METI (J) AICS (Aus)

(Contd. on page 8)

Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 7)

IECSC (CN) EINECS/ELINCS/NLP (EU) ECL/KECI (KOR) PICCS (RP)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of lubricants and greases in open systems

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC24 Lubricants, greases, release products
- · Process category

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

(Contd. on page 9)

MOTOREX*
Oil of Switzerland
Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 8)

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC7 Industrial spraying

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of lubricants and greases in open systems
- Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC24 Lubricants, greases, release products
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

(Contd. on page 10)

MOTOREX Oil of Switzerland
Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 9)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- **Disposal measures** Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in open systems
- Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.

(Contd. on page 11)

MOTOREX*
Oil of Switzerland
Revision: 08.11.2022

Printing date 08.11.2022

Version number 2.1 (replaces version 2.0)

Trade name: WHITE GREASE

(Contd. of page 10)

- · Disposal measures Ensure that waste is collected and contained.
- Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

__