MOTOREX*
Oil of Switzerland

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: COPPER SPRAY
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Lubrication, anticorrosive Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if

heated

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS02 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P273 Avoid release to the environment.

P201 Collect spillogs

P391 Collect spillage.

(Contd. on page 2)

MOTOREX Oil of Switzerland
Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 1)

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane, pure Flam. Gas 1A, H220; Press. Gas (Comp.), H280	50-70%
EC number: 920-750-0 Reg.nr.: 01-2119473851-33	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	≥10-<20%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1-2.5%
CAS: 7440-50-8 EINECS: 231-159-6 Reg.nr.: 01-2119480154-42	copper Acute Tox. 3, H331; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319	0.25-1%
CAS: 7440-66-6 EINECS: 231-175-3 Index number: 030-002-00-7 Reg.nr.: 01-2119467174-37	zinc powder -zinc dust (stabilized) Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	≥0.25-≤1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents aliphatic hydrocarbons ≥15 - <30%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤ 50°C

Keep container tightly sealed.

- Storage class: 2 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure

WEL Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

(Contd. on page 4)

MOTOREX*
Oil of Switzerland

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

7440-50-	8 copper		(Contd. of pa
WEL Sh	ort-term value: 2** mg/m³ ng-term value: 0.2* 1** mg/m³ me **dusts and mists (as Cu)		
DNELs			
Hydroca	rbons, C7-C9, n-alkanes, isoalkanes, cyclic	s	
Oral	DNEL/general population/Systemic effects/Le	ong-term	699 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-te	rm	773 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Le	ong-term	699 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-te	rm	2,035 mg/m3 (worker)
	DNEL/general population/Systemic effects/Lo	ong-term	608 mg/m3 (consumer)
	8 copper		
Dermal	DNEL / Workers / Systemic effects / Long-te		137 mg/kg/24h (worker)
	DNEL/Workers/Systemic effects/acute-short		273 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Lo	ong-term	137 mg/kg/24h (consumer)
	DNEL/general pop/Systemic effects/acute-sh		273 mg/kg/24h (consumer)
Inhalative	e DNEL/Workers/Systemic effects/acute-short	term	20 mg/m3 (worker)
	DNEL/general pop/Systemic effects/acute-sh	nort term	20 mg/m3 (consumer)
	6 zinc powder -zinc dust (stabilized)		
Oral	DNEL/general population/Systemic effects/L	_	0.83 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-te		83 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Lo	_	83 mg/kg/24h (consumer)
Inhalative	,		5 mg/m3 (worker)
	DNEL/general population/Systemic effects/L	ong-term	2.5 mg/m3 (consumer)
PNECs			
	8 copper		
	Aquatic organisms / Freshwater	l	ng/l (aquatic organisms)
	Aquatic organisms / Marine water	l	ng/l (aquatic organisms)
PNEC/Aquatic organisms/Sewage treatment plant/STP 0.23 mg/l (aquatic organisms)			
PNEC / Aquatic organisms / Sediment (freshwater) 87 mg/kg (aquatic organisms)			
		kg (aquatic organisms)	
PNEC / Terrestrial organism / Soil 65 mg/kg (terrestrial organisms)			
	6 zinc powder -zinc dust (stabilized)		
	Aquatic organisms / Freshwater		ng/l (aquatic organisms)
	Aquatic organisms / Marine water	l	ng/l (aquatic organisms)
	quatic organisms/Sewage treatment plant/STP		(aquatic organisms)
	Aquatic organisms / Sediment (freshwater)		g/kg (aquatic organisms)
	Aquatic organisms / Sediment (marine water)		/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil 35.6 mg/kg (terrestrial organisms) Additional information: The lists valid during the making were used as basis			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

(Contd. on page 5)

MOTOREX*
Oil of Switzerland

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 4)

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Aerosol

Colour: Gold coloured
 Odour: Solvent-like
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Not applicable, as aerosol.

Flammability Not applicable.

· Lower and upper explosion limit

· Lower: 0.9 Vol %
 · Upper: 8.5 Vol %
 · Flash point: <0 °C

Auto-ignition temperature: 310 °C (DIN 51794)
 Decomposition temperature: Not determined.
 pH Not determined.

Viscosity:

· Kinematic viscosity Not determined.

Consistency

• **Dynamic:** Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

· Vapour pressure at 20 °C: 2,100 hPa

Density and/or relative density

• **Density at 20 °C:** 0.628 g/cm³ (ASTM D 4052)

Relative densityVapour densityNot determined.Not determined.

(Contd. on page 6)

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 5)

9.2 Other information

· Appearance:

· Form: Liquefied gas

· Important information on protection of health

and environment, and on safety.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent separation test:

· VOC (EC) 84.00 %

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

Void · Explosives Void · Flammable gases

Extremely flammable aerosol. Pressurised · Aerosols

container: May burst if heated.

Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit Void flammable gases in contact with water · Oxidising liquids Void · Oxidising solids Void Organic peroxides Void · Corrosive to metals Void Void Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values re	levant for cl	assification:
---------------------	---------------	---------------

106-97-8 butane, pure

Inhalative LC50 / 15 min | 1,442.738-1.443 mg/l (rat) LC50 / 15 min 800,000 ppm (rat)

(Contd. on page 7)

MOTOREX*
Oil of Switzerland
Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

		(Contd. of pa
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	LC50 / 4h	658 mg/l (rat)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.2-21.4 mg/l (rat)
	LOAEC	21.6 mg/l (rat)
	LOAEC	12,000 ppm (rat)
Hydrocar	bons, C7-C9, r	n-alkanes, isoalkanes, cyclics
Oral	LD50	8 ml/kg (rat)
Dermal	LD50	4 ml/kg (rat)
	LD50	2,800-3,100 mg/kg (rat)
Inhalative	LC50 / 4h	23.3 mg/l (rat)
	NOAEC	5.8-24.3 mg/l (rat)
74-98-6 pi	ropane	- , ,
<i>Inhalative</i>	LC50 / 15 min	1,442.738-1.443 mg/l (rat)
	LC50 / 15 min	800,000 ppm (rat)
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.214-21.394 mg/l (rat)
	LOAEC	21.64 mg/l (rat)
	LOAEC	12,000 ppm (rat)
75-28-5 is		, , , , , , , , , , , , , , , , , , ,
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)
		800,000 ppm (rat)
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.214-21.394 mg/l (rat)
	LOAEC	21.641 mg/l (rat)
	LOAEC	12,000 ppm (rat)
7440-50-8		12,000 ppm (rat)
Oral	LD50	300-2,500 mg/kg (rat)
Orar	NOAEL	1,000 ppm (mouse)
	TONEL	1,000 ppm (rat)
	LOAEL	2,000 ppm (mouse)
	LOALL	2,000 ppm (rat)
Dermal	LD50	2,000 mg/kg (rat)
	LC50 / 4h	5.11 mg/l (rat)
ııııaıalıve	NOAEL	2 mg/m3 (rat)
	LOEL	
7440 66 6		0.2 mg/m3 (rat)
7440-66-6 Oral	LD50	zinc dust (stabilized) 2,000 mg/kg (rat)
Orai	NOEL	3,000 ppm (mouse)
	INOLL	3,000 ppm (rat)
	NOAEL	
	NUALL	31.52 mg/kg/24h (rat) (Contd. on pa

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

	(Contd. of page 7)	
LOAEL	53.8 mg/kg/24h (rat)	
LOEL	30,000 ppm (rat)	
· Aspiration hazard May be fatal if swallowed and enters airways.		

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

-	c toxicity: -8 butane, pure	
LC50	24.1-147.5 mg/l/96h (fish)	
LC50	14.2-69.4 mg/l/48h (aquatic invertebrates)	
EC50	7.7-19.4 mg/l/96h (algae / cyanobacteria)	
	earbons, C7-C9, n-alkanes, isoalkanes, cyclics	
EC50	0.23 mg/l/21d (aquatic invertebrates)	
EC50	0.64 mg/l/48h (aquatic invertebrates)	
LL50	3-10 mg/l/96h (fish)	
LL50	10-30 mg/l/72h (fish)	
LL50	10-30 mg/l/48h (fish)	
LL50	30-100 mg/l/24h (fish)	
LL0	3 mg/l/96h (fish)	
EL50	13 mg/l/96h (algae / cyanobacteria)	
EL50	4.6-10 mg/l/48h (aquatic invertebrates)	
	10-30 mg/l/48h (algae / cyanobacteria)	
EL50	10-22 mg/l/24h (aquatic invertebrates)	
	10-30 mg/l/24h (algae / cyanobacteria)	
EL50	10-30 mg/l/72h (algae / cyanobacteria)	
EL0	4.6 mg/l/48h (aquatic invertebrates)	
EL0	10 mg/l/24h (aquatic invertebrates)	
NOEC	0.17 mg/l/21d (aquatic invertebrates)	
NOELF	0.574 mg/l/28d (fish)	
NOELF	1 mg/l/21d (aquatic invertebrates)	
NOELF	6.3 mg/l/96h (algae / cyanobacteria)	
LOEC	0.32 mg/kg/28d (aquatic invertebrates)	
	propane	
LC50	24.11-147.54 mg/l/96h (fish)	
LC50	14.22-69.43 mg/l/48h (aquatic invertebrates)	
EC50	7.71-19.37 mg/l/96h (algae / cyanobacteria)	
	isobutane	
LC50	24.11-147.54 mg/l/96h (fish)	
LC50	14.22-69.43 mg/l/48h (aquatic invertebrates)	
EC50	7.71-19.37 mg/l/96h (algae / cyanobacteria)	
7440-50 LC50	0-8 copper 0.0028-9.15 mg/l/96h (fish)	

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

		(Contd. of page 8)
LC50	0.0005-0.302 mg/l/48h (aquatic invertebrates)	, , ,
	0.0059-0.0302 mg/l/48h (fish)	
EC50	0.012-0.0238 mg/l/24h (aquatic invertebrates)	
EC50	0.005-0.042 mg/l/96h (aquatic invertebrates)	
	0.047 mg/l/96h (algae / cyanobacteria)	
EC50	0.0165-0.987 mg/l/72h (algae / cyanobacteria)	
EC50	0.001-1.213 mg/l/48h (aquatic invertebrates)	
NOEC	0.4-1 g/kg/21d (terrestrial arthropods)	
	0.0234-0.0449 g/kg/21d (sediment)	
NOEC	0.0279-1 g/kg/28d (terrestrial arthropods)	
	0.042 g/kg/28d (terrestrial plants)	
	0.0183-0.5809 g/kg/28d (sediment)	
NOEC	0.0122-0.0292 mg/l/96h (fish)	
	3.818 mg/l/96h (microorganisms)	
NOEC	3.563-3.8 mg/l/48h (microorganisms)	
7440-66	5-6 zinc powder -zinc dust (stabilized)	
LC50	0.112-2.92 mg/l/96h (fish)	
LC50	0.095-1.22 mg/l/48h (aquatic invertebrates)	
EC50	5.2 mg/l/3h (microorganisms)	
EC50	0.22-22 mg/l/24h (aquatic invertebrates)	
EC50	0.155-2.909 mg/l/48h (aquatic invertebrates)	
NOEC	0.085-0.553 g/kg/21d (terrestr. macroorganisms (- arthropods))	
NOEC	0.1-1 g/kg/28d (terrestr. macroorganisms (- arthropods))	
NOEC	0.02 mg/l/96h (algae / cyanobacteria)	
. 12 2 Pa	rsistence and degradability No further relevant information available.	

12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential			
106-97-8 butane, p	106-97-8 butane, pure		
Partition coefficient	Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation)		
Hydrocarbons, C7	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		
Biodegradability	Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F)		
74-98-6 propane	74-98-6 propane		
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)		
75-28-5 isobutane			
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)		
Biodegradability	100 % (28d) (Biodegradability)		

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 10)

MOTOREX*
Oil of Switzerland
Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 9)

Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

SECTION 14	l: Transport info	rmation

er

· ADR/RID/ADN, IMDG, IATA

UN1950

· 14.2 UN proper shipping name

· ADR/RID/ADN

1950 AEROSOLS, ENVIRONMENTALLY

HAZARDOUS

AEROSOLS, MARINE POLLUTANT

AEROSOLS, flammable

- · 14.3 Transport hazard class(es)
- · ADR/RID/ADN



· IMDG

·IATA



· Class

2 5F Gases.

Label

2.1

· IMDG





· Class

2.1 Gases.

Label

2.1

· IATA



· Class

2.1 Gases.

2.1

· Label

MOTOREX Oil of Switzerland
Revision: 28,03,2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

	(Contd. of page
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substances: Hydrocarbons, C7-C9, n-alkanes isoalkanes, cyclics
Marine pollutant:	No Symbol (fish and tree)
Special marking (ADR/RID/ADN):	Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler cod EMS Number: Stowage Code Segregation Code	Warning: Gases. le): - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capaci of 1 litre: Category A. For AEROSOLS with capacity above 1 litre: Category B. For WAST AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capaci of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 D
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

(Contd. on page 12)

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 11)

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Abteilung Produktsicherheit

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of sprays
- Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

(Contd. on page 13)

MOTOREX*
Oil of Switzerland

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 12)

· Product category

PC14 Metal surface treatment products

PC34 Textile dyes, and impregnating products

- Process category PROC11 Non industrial spraying
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of sprays
- Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category

PC14 Metal surface treatment products

PC34 Textile dyes, and impregnating products

- · Process category PROC11 Non industrial spraying
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.

(Contd. on page 14)

MOTOREX*
Oil of Switzerland
Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 13)

- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of sprays
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category
- PC14 Metal surface treatment products
- PC34 Textile dyes, and impregnating products
- Process category PROC11 Non industrial spraying
- · Environmental release category
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.

(Contd. on page 15)

MOTOREX Oil of Switzerland
Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 14)

· Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 4

- · Short title of the exposure scenario Industrial use of lubricants and greases in open systems
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- · Product category PC24 Lubricants, greases, release products
- · Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC7 Industrial spraying
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- PROC10 Roller application or brushing
- PROC13 Treatment of articles by dipping and pouring
- · Environmental release category
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- **Disposal measures** Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 5

- · Short title of the exposure scenario Professional use of lubricants and greases in open systems
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Product category PC24 Lubricants, greases, release products

(Contd. on page 16)

MOTOREX*
Oil of Switzerland
Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 15)

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · **Disposal measures** Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 6

- · Short title of the exposure scenario Private use of lubricants and greases in open systems
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.

(Contd. on page 17)

MOTOREX*
Oil of Switzerland

Revision: 28.03.2023

Printing date 28.03.2023

Version number 2.1 (replaces version 2.0)

Trade name: COPPER SPRAY

(Contd. of page 16)

- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- Water No special measures required.
- Disposal measures Disposal must be made according to official regulations.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

GB